Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Framingham Nurseries

FRAMINGHAM MASSACHUSETTS

PRICE LIST

OF

Evergreens, Trees, Shrubs Vines, Roses

AND

Herbaceous Perennials

SPRING 1927

GENERAL INDEX

| | | | | | | | | ŀ | 'age |
|----------------|-------|------|--|--|----|--|--|---|------|
| Evergreen Tree | es . | | | | ٠. | | | • | 5 |
| Evergreen Shru | ıbs . | | | | | | | | 13 |
| Rhododendron | s. | | | | | | | | 15 |
| Deciduous Tre | es . | | | | | | | | 16 |
| Deciduous Shr | ubs | | | | | | | | 25 |
| Vines | | | | | | | | | 40 |
| Roses | | | | | | | | | 42 |
| Herbaceous Pe | renn | ials | | | | | | | 44 |
| Alpine Plants, | New | 7. | | | | | | | 58 |
| Index | | | | | | | | | 50 |



OUR LOCATION

FRAMINGHAM NURSERIES are located in Framingham, Mass.—The Health Town—about halfway (21 miles) from Boston to Worcester, on the main line of the Boston and Albany division of the New York Central R. R. Also on the New Haven R. R. Good motor roads lead to Framingham from all directions. Visitors are cordially invited to inspect our nurseries on week-days. We are POSITIVELY CLOSED TO BUSINESS ON SUNDAYS.



THE PLANTING SEASON

The Spring Planting Season begins as soon as the frost is out of the ground (middle of March to first of April) and continues until the new growth starts—late May or early June.



SHIPPING DIRECTIONS

We are admirably situated for prompt shipping in all directions by rail. Good motor roads enable us to ship by motor truck, within a radius of 75 miles, at a moderate charge, provided the order is large enough to make a truck-load.

Customers are requested to state explicitly the mode of conveyance by which they desire their orders forwarded.

When no route or method is specified we exercise our judgment. In no case do we assume any responsibility after goods have been shipped, except for our own mistakes.

When loss or injury occurs, by delay or mishandling on the part of the carriers, claim should at once be made on the TRANSPORTATION COMPANY by the consignee.

PLANT NAMES

Authority for Names used in this price list is "Standardized Plant Names," published by the American Joint Committee on Horticultural Nomenclature and officially adopted by the American Association of Nurserymen.

If you have not a copy of this book and are not familiar with the new standardized names, you can obtain it from A. T. De La Mare Co., Inc., 448 West 37th Street, New York City.

| Standard edition, cloth | binding | \$5.00 |
|--------------------------|----------------------|--------|
| Pocket edition, flexible | binding, India paper | 6.50 |
| Interleaved edition, clo | oth binding | 6.50 |

CONDITIONS OF SALE

- 1. The articles herein listed will be furnished according to the following schedule:
 - 1 to 4 plants of the same kind and size will be priced at the each rate.
 - 5 to 39 plants of the same kind and size will be priced at the ten rate.
 - 40 or more plants of the same kind and size will be priced at the hundred rate when a hundred rate is listed.

250 or more plants of the same kind and size will be priced at the thousand rate when a thousand rate is listed.

FROM THIS SCHEDULE WE WILL NOT VARY because of the expense entailed in assembling an order made up of small lots of a kind.

- 2. Specimens personally selected by the purchaser or his representative (or specially selected by us at the request of the purchaser) will be priced according to their individual values.
- 3. The prices annexed are for the stock F.O.B. our freight station, or express company.
 - 4. The prices in this list cancel those in all previous lists.

TERMS OF PAYMENT

Our terms are cash, except by special agreement. Unknown correspondents who wish to open an account will please give us the names of three parties with whom they have credit relations and allow us sufficient time to investigate same. We will ship C.O.D. when desired, with collection charges added to the bill, provided 20 per cent of the amount of the order accompanies the order as a guarantee. All accounts unpaid after the due date will be subject to sight draft without further notice.

HEALTHY PLANTS

We spend a great deal of time, money and effort every year in the eradication of insect pests and plant diseases. In addition, representatives of the Massachusetts Department of Agriculture each year carefully inspect our nurseries, eradicate any pests and destroy any diseased plants they may find. Their CERTIFICATE OF INSPECTION, which accompanies every shipment we make, is your assurance of receiving only healthy nursery stock.



OUR GUARANTEE

We guarantee the stock herein listed to be-

- Grown with the greatest skill and science that our years of experience have brought us.
- 2. True to name.
- 3. Alive at time of shipment.
- 4. Healthy and free from disease.
- 5. Dug properly.
- 6. Packed so as to reach destination in good condition.

If goods are not as represented ON ARRIVAL, NOTIFY US IMMEDIATELY. Failure to do so voids this guarantee.

Any stock ordered from this list found untrue to name will be cheerfully replaced during the next planting season after its falsity becomes apparent.

Our responsibility ends when you accept the plants (except for untrueness to name). If you choose to neglect them we cannot be held responsible. Plants are perishable living organisms. Their success depends upon the care YOU give them. Treat them well.



FRAMINGHAM NURSERIES

Richard M. Wyman, Proprietor

Long Distance Phones

Framingham

\[
\begin{cases}
331 \\
1685
\end{cases}
\]

Framingham, Mass Feb. 1, 1927

EVERGREEN TREES

We grow our evergreens with the greatest care. Not only do we prune the tops for shape, but we also PRUNE the ROOTS, and TRANSPLANT the trees many times. This results in a mass of fibrous roots which is the deciding factor in the successful planting of evergreens. For this reason our evergreens should not be confused with quickly and cheaply grown, non-pruned and non-transplanted stock.

We also dig our evergreens with a ball of the earth in which they are grown, and wrap the ball securely in burlap This we do WITHOUT ADDITIONAL CHARGE.

| YIS YIS | | | |
|------------------------|---------|-----------|---------|
| | Each | Per 10 I | Per 100 |
| ABIES concolor | | Wh | ite Fir |
| 2 to 3 ft | \$7.00 | 66.00 | |
| 3 to 4 ft | 8.50 | 82.50 | |
| 4 to 5 ft | 10.00 | 98.00 | |
| 5 to 6 ft | 13.00 | 128.00 | |
| 6 to 7 ft | 16.00 | 158.00 | |
| 7 to 8 ft | 18.00 | | |
| 8 to 9 ft | 20.00 | | |
| CHAMAECYPARIS pisifera | Saw | ara Retin | ospora |
| 2 to 2½ ft | 4.00 | 36.00 | 330.00 |
| 2½ to 3 ft | 4.50 | 42.00 | 390.00 |
| 3 to 4 ft | 5.00 | 48.00 | 450.00 |
| 4 to 5 ft | 7.00 | 68.00 | |
| 5 to 6 ft | 9.00 | • | |
| p. aurea Gold | en Saw | ara Retin | ospora |
| 18 to 24 in | | 27.00 | |
| 2 to 2½ ft | 4.00 | 38.00 | |
| 2½ to 3 ft | 5.00 | 48.00 | |
| 3 to 4 ft | 6.00 | 57.00 | |
| p. filifera | Thre | ead Retin | ospora |
| 15 to 18 in | | 22.50 | • |
| 18 to 24 in | 3.00 | 27.00 | |
| 2 to 2½ ft | 4.00 | 38.00 | |
| 2½ to 3 ft | 5.00 | | |
| 3 to 4 ft | 6.00 | | |
| p. fil. aurea Gold | en Thr | ead Retin | ospora |
| 12 to 15 in. spread | | 36.00 | 330.00 |
| 15 to 18 in. spread | 5.00 | 48.00 | |
| 18 to 24 in. spread | 6.00 | 55.00 | |
| 2 to 2½ ft. spread | 7.00 | | |
| 2½ to 3 ft. spread | 9.00 | | |
| 3 to 4 ft spread | . 12.00 | | |
| p. plumosa | Plu | me Retir | iospora |
| 15 to 18 in | | 20.00 | 180.00 |
| 18 to 24 in | . 3.00 | 27.00 | 250.00 |
| 2 to 2½ ft | | 33.00 | 300.00 |
| 2½ to 3 ft | | 42.00 | |
| (Continued to next p | oage) | | |

| CHAMAECYPARIS—continue | | | |
|--------------------------------|--------------|-------------------|---------------|
| p. plumosa—continued | | ıme Rein | ospora |
| 3 to 4 ft | \$5.50 | | |
| 4 to 5 ft | 6.50 | | |
| 5 to 6 ft | | | |
| 6 to 7 ft | 11.00 | | |
| p plumosa aurea | Golden Plu | me Retin | ospora |
| 15 to 18 in | | 20.00 | 180.00 |
| 18 to 24 in | | 27.00 | |
| 2 to 2½ ft | | | |
| 2½ to 3 ft | | | |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | |
| | Sulphur Plui | ma Ratin | loenora. |
| 15 to 18 in | | ne Ketti 22.50 | ospora |
| 18 to 24 in | | | |
| 18 to 24 in | 3.00 | 27.00 | |
| JUNIPERUS chinensis | | Chinese] | luniper |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | 16.00 | | |
| chin. albovariegata | Whiteleaf (| Chinese J | luniper |
| 15 to 18 in | 2.50 | 22.50 | |
| 18 to 24 in | 3.50 | 33.00 | |
| 2 to 2½ ft | 4.50 | | |
| 2½ to 3 ft | 5.50 | | |
| 3 to 4 ft | 7.00 | | |
| 4 to 5 ft | 9.00 | | |
| 5 to 6 ft | 12.00 | | |
| 6 to 7 ft | 16.00 | | |
| chin. pfitzeriana | | Pfitzer J | luniper |
| 18 to 24 in. spread | 4.00 | 38.00 | 360.00 |
| 2 to 2½ ft. spread | | 52.00 | 500.00 |
| 2½ to 3 ft. spread | | 65.00 | |
| 3 to 3½ ft. spread | | 95.00 | |
| $3\frac{1}{2}$ to 4 ft. spread | | | |
| • | | | |
| communis (Erect form) Co | | opean) J | luniper |
| 2 to 2½ ft | | | |
| 2½ to 3 ft | | | |
| 3 to 4 ft | 4.50 | | |
| com, cracovica | | Polish. | Iuniper |
| 3 to 4 ft | 4.50 | 42.00 | |
| 4 to 5 ft | | | |
| | | 271 7.7 | |
| com. depressa | | Field. | Juniper |
| 2 to 2½ ft. spread | | ## co | 700.00 |
| 3 to 4 ft. spread | 6.00 | | 500.00 |
| 4 to 5 ft. spread | | 75.00 | 720.00 |
| 5 to 6 ft. spread | 12.00 | | |

| JUNIPERUS—continued | | Per 10 1 | |
|------------------------------|---------|--------------------|---------|
| com. dep. aurea | | n Field J | uniper |
| 15 to 18 in. spread | | | |
| 18 to 24 in. spread | 3 .100 | | |
| com. hibernica | | Irish J | uniper |
| 18 to 24 in | 2.50 | -22.50 | 210.00 |
| 2 to 2½ ft | 3.00 | 27.00 | 250.00 |
| 2½ to 3 ft | 3.50 | 33.00 | 300.00 |
| 3 to 4 ft | 4.50 | | |
| com. suecica | 9 | Swedish] | uniner |
| 18 to 24 in | | 22.50 | _ |
| 2 to 2½ ft | | 28.50 | |
| | | | |
| excelsa stricta 12 to 15 in | | y Greek J 16.00 | _ |
| 15 to 18 in | | 22.50 | 200.00 |
| 18 to 24 in | | 27.00 | 250.00 |
| 2 to 2½ ft | | 27.00 | 230.00 |
| horizontalis | | | r |
| | | reeping J | uniper |
| 15 to 18 in. spread | | | |
| 2 to 2½ ft. spread | | | |
| 2½ to 3 ft. spread | | | |
| | | | · · |
| japonica 12 to 15 in | | apanese j | uniper |
| 15 to 18 in | | 22.50 | |
| 18 to 24 in | | 33.00 | |
| | . 4.30 | | |
| sabina | 2 70 | | luniper |
| 15 to 18 in. spread | | 33.00 | 300.00 |
| 18 to 24 in. spread | | 42.00 | 400.00 |
| 2 to 2½ it. spread | | 52.00 66.00 | |
| 3 to 4 ft. spread | | 00.00 | |
| | . 10.00 | <i>T</i> | · |
| sab. tamariscifolia | 2 50 | 22.50 | x Savin |
| 12 to 15 in. spread | | | |
| virginiana | . 3.30 | | edcedar |
| 2 to 3 ft | . 3.00 | | |
| 3 to 4 ft | | | 230.00 |
| 4 to 5 ft | | | |
| 5 to 6 ft | | | |
| 6 to 7 ft | | | |
| 7 to 8 ft | | | |
| 8 to 9 ft | | | |
| virg. elegantissima | | oldtip R | edcedar |
| 2 to 3 ft | | • | |
| 3 to 4 ft | | | |
| 5 to 6 ft | | | |
| virg. glauca | | Silver R | odcodar |
| 3 to 4 ft | . 6.50 | | Caretaa |
| 4 to 5 ft | | | |
| | | | |

| JUNIPERUS—continued | Each | Per 10 | Per 100 |
|---|-----------|----------|----------|
| virg. schotti | | Schott R | edcedar |
| 6 to 7 ft | . \$12.00 | | |
| 7 to 8 ft | | | |
| 8 to 9 ft | 18.00 | | |
| DIODA II O DIODA I | | | |
| PICEA albertiana—See PICEA glau | ica coi | | _ |
| canadensis | | | Spruce |
| 2 to 2½ ft | | | |
| 2½ to 3 ft | | | |
| 3 to 4 ft | | 36.00 | |
| 4 to 5 ft | 5.50 | | |
| engelmanni | E | ngelman | Spruce |
| 12 to 14 ft. SPECI- 50.00 to | | | • |
| 14 to 18 ft. MENS 65.00 to | | | |
| | | | _ |
| excelsa | | Norway | _ |
| 18 to 24 in | | | 150.00 |
| 2 to 3 ft | | 22.50 | |
| 3 to 4 ft | | 33.00 | 300.00 |
| 4 to 5 ft | 4.50 | | |
| 5 to 6 ft | 5.50 | | |
| 6 to 7 ft | 6.50 | | |
| 7 to 8 ft | | | |
| 8 to 9 ft | | | |
| 9 to 10 ft | | | |
| 10 to 12 ft | | | |
| 12 to 14 ft | 22.00 | | |
| WE OFFED WILL WAS FOLD | OTT TAT | C MADI | |
| WE OFFER THE TWO FOLL | | | |
| TIES OF DWARF SPRUCES VERY RARE PLANT GEMS | | ESE Al | |
| GREATLY APPRECIATE | | | |
| LOVERS. | ם ע | LLLAI | 1 |
| LOVERS. | | | |
| exc. dumosa | Ruch | y Dwarf | Spruce |
| 3 to 3½ ft | | y Data j | opi ace |
| | | | _ |
| exc. gregoryana | regor | y Dwarf | Spruce |
| 4 to 5 ft | | | |
| 5 to 6 ft | 35.00 | | |
| glauca conica-Dwarf Pyramid. F | ine | | |
| | Dwarf | Alberta | |
| 12 to 15 in | 5.00 | 45.00 | 400.00 |
| 15 to 18 in | 6.50 | 60.00 | |
| 18 to 20 in | 8.00 | | |
| 3 ft. specimens | 40.00 | | |
| 3½ ft. specimens | 50.00 | | |
| 4 ft. specimens | 60.00 | | |
| We can furnish these large speci- | | | |
| men Dwarf Alberta Spruce in | | | |
| matched pairs for formal use | | | |

matched pairs for formal use.

| PICEA—continued | | |
|---|--|---|
| mariana (nigra) | Each | Per 10 Per 100 Black Spruce |
| 5 to 6 ft | \$5.50 | |
| 6 to 7 ft | | |
| 7 to 8 ft | | |
| orientalis | | Oriental Spruce |
| 18 to 24 in | | _ |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| pungens | | Colorado Spruce |
| 2 to 3 ft | 5.00 | |
| 3 to 4 ft | 6.50 | |
| 4 to 5 ft | 8.00 | |
| pung. glauca | | Colorado Spruce |
| 2 to 3 ft | 10.00 | |
| 3 to 4 ft | | |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| 6 to 7 ft | | |
| 7 to 8 ft | | |
| 8 to 9 ft | | |
| 9 to 10 ft. specimens | | |
| 10 to 16 ft. specimens \$40.00 to | 100.00 | |
| pung. kosteri | | ter Blue Spruce |
| 3 ft | | |
| 3½ ft | | |
| 4 ft | 22 00 | |
| | | |
| 4½ ft | 25.00 | |
| 4½ ft | 25.00 90.00 | |
| 4½ ft | 25.00 90.00 | |
| 4½ ft | 25.00 90.00 | Austrian Pine |
| 4½ ft | 25.00 90.00 125.00 Swiss | Austrian Pine Mountain Pine |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 | |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 | |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 | |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 | Mountain Pine Mugho Pine |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 | Mugho Pine 33.00 |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 | Mountain Pine Mugho Pine |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 3.50 4.50 | Mugho Pine 33.00 |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 3.50 4.50 6.50 | Mugho Pine 33.00 |
| 4½ ft | 25.00 90.00 125.00 Swiss 12.00 15.00 25.00 3.50 4.50 6.50 10.00 16.00 | Mugho Pine 33.00 |
| 4½ ft 10 to 12 ft. SPECI- 60.00 to 12 to 16 ft. MENS 90.00 to PINUS austriaca—See P. nigra montana 4 to 5 ft 5 to 6 ft 6 to 8 ft mont. Mughus 15 to 18 in 18 to 24 in. spread. 2 to 2½ ft. spread. 3 to 3½ ft. spread. 4 to 5 ft. spread. 5 to 6 ft | 25.00 90.00 125.00 \$\text{Swiss}\$ 12.00 15.00 25.00 3.50 4.50 6.50 10.00 16.00 | Mugho Pine 33.00 |
| 4½ ft | 25.00 90.00 125.00 125.00 5wiss 12.00 15.00 25.00 4.50 6.50 10.00 16.00 20.00 30.00 | Mugho Pine 33,00 42.00 |
| 4½ ft | 25.00 90.00 125.00 125.00 15.00 25.00 3.50 4.50 6.50 10.00 16.00 20.00 30.00 | Mugho Pine 33.00 42.00 tern White Pine |
| 4½ ft | 25.00 90.00 125.00 125.00 15.00 25.00 3.50 4.50 6.50 10.00 20.00 30.00 Wes | Mugho Pine 33.00 42.00 tern White Pine 48.00 |
| 4½ ft | 25.00 90.00 125.00 125.00 15.00 25.00 4.50 6.50 10.00 20.00 30.00 Wes | Mugho Pine 33.00 42.00 tern White Pine 48.00 57.00 |
| 4½ ft | 25.00 90.00 125.00 125.00 15.00 25.00 4.50 6.50 10.00 20.00 30.00 Wes 5.00 6.00 | Mugho Pine 33.00 42.00 tern White Pine 48.00 |

PINUS-continued

| PINUS—continued | | | |
|--------------------------------|--------|----------|----------|
| | Each | Per 10 | Per 100 |
| nigra (austriaca) | | | an Pine |
| 2 to 3 ft | \$4.50 | 42.00 | |
| 3 to 4 ft | 6.00 | 57.00 | |
| 4 to 5 ft | 7.00 | 37.00 | |
| 5 to 6 ft | | | |
| | 8.50 | | |
| 6 to 7 ft | 10.00 | | |
| 7 to 8 ft | 12.00 | | |
| 8 to 9 ft | 14.00 | | |
| 9 to 10 ft | 16.00 | | |
| 10 to 12 ft | 18.00 | | |
| 12 to 15 ft | 22.00 | | |
| nigra globosa | Glob | e Austri | an Pine |
| 2 to 2½ ft | 18.00 | | |
| 2½ to 3 ft | 20.00 | | |
| 3 to 3½ ft | 25.00 | | |
| 3½ to 4 ft | 30.00 | | |
| This is a new form. Very dense | | | |
| and slow-growing. Handsome. | | | |
| | | | |
| resinosa | | or Norw | ay Pine |
| 5 to 6 ft | 6.00 | 55.00 | |
| 6 to 8 ft | 7.50 | 70.00 | 650.00 |
| 8 to 10 ft | 10.00 | 95.00 | 900.00 |
| 10 to 12 ft | 12.50 | 120.00 | 1100.00 |
| 12 to 14 ft | 15.00 | 140.00 | |
| strobus | | Wh | ite Pine |
| 2 to 3 ft | 2.75 | 25.00 | |
| 3 to 4 ft | 3.25 | 30.00 | |
| 4 to 5 ft | 4.00 | 35.00 | |
| 5 to 6 ft | 5.00 | 45.00 | |
| | | | |
| 6 to 7 ft | 6.00 | 55.00 | |
| 7 to 8 ft | 7.50 | 70.00 | |
| 8 to 10 ft | 10.00 | 95.00 | |
| 10 to 12 ft | 15.00 | 140.00 | |
| sylvestris | | Scoto | h Pine |
| 2 to 3 ft | 3.50 | 33.00 | 300.00 |
| PSEUDOTSUGA douglasi | | Doug | glas Fir |
| 2 to 3 ft | 3.50 | 33.00 | 300.00 |
| 3 to 4 ft | 5.00 | 45.00 | 400.00 |
| 4 to 5 ft | 6.00 | 55.00 | 500.00 |
| 5 to 6 ft | 7.50 | 72.00 | |
| 6 to 7 ft | 9.00 | | |
| | | | |
| RETINOSPORA—See CHAMAECY | PARIS | • | |
| TAXUS baccata repandens S | preadi | ng Engli | sh Yew |
| 12 to 15 in. spread | 3.00 | 27.00 | |
| 15 to 18 in spread | 3.50 | | |

| PRICE LIST SPRIT | | | 11 |
|----------------------------------|---------|------------------|---------|
| TAXUS—continued | | Per 10 | |
| canadensis | | Cana | da Yew |
| 15 to 18 in. spread | \$2.50 | 22.50 | 210.00 |
| 18 to 24 in. spread | | 27.00 | 250.00 |
| 2 to 2½ ft. spread | 3.50 | 33.00 | |
| 2½ to 3 ft. spread | 4.50 | 42.00 | |
| 3 to 4 ft | 6.00 | 57.00 | |
| cuspidata-spreading form SI | readin | g Japane | ese Yew |
| 15 to 18 in. spread | | 30.00 | 270.00 |
| 18 to 24 in. spread | 4.20 | 40.00 | 360.00 |
| 2 to 2½ ft. spread | | 60.00 | 550.00 |
| 2½ to 3 ft. spread | 9.00 | 85.00 | |
| 3 to 3½ ft. spread | 12.00 | 110.00 | |
| cusp. capitata | Erect | Japane | se Yew |
| 15 to 18 in | 4.00 | 38.00 | |
| 18 to 24 in | | | |
| Large specimens | . 10.00 | to 30. | 00 each |
| cusp. nana | | f Japane | se Yew |
| 12 to 15 in. spread | 3.60 | 32.00 | 300.00 |
| 15 to 18 in. spread | 4.25 | 40.00 | 380.00 |
| 18 to 21 in. spread | 7.00 | 65.00 | |
| 21 to 24 in. spread | 10.00 | 95.00 | |
| 2 to 2½ ft. spread | 15.00 | 145.00 | |
| 2½ to 3 ft. spread | 25.00 | | • • |
| 3 to 4 ft. spread | 40.00 | | |
| repandens-See Taxus baccata rep | andens | 3 | |
| | | l Japane | se Yen |
| 15 to 18 in. spread | 3.25 | 30.00 | |
| 18 to 24 in. spread | 4.25 | 40.00 | 375.00 |
| | 6.50 | 60.00 | 550.00 |
| 2½ to 3 ft | | 95.00 | |
| 3 to 3½ ft | | 145.00 | |
| 3½ to 4 ft | | 240.00 | |
| THUJA occidentalis | | A | |
| 2 to 3 ft | | can Arb 27.00 | 250.00 |
| 3 to 4 ft | 3.00 | 33.00 | 300.00 |
| 4 to 5 ft | 5.00 | 48.00 | 300.00 |
| 5 to 6 ft | 6.50 | 63.00 | |
| 6 to 7 ft | 8.00 | 03.00 | |
| | | 7 *- 4-7 | |
| occ. columbia | | bia Arb | orvitae |
| 18 to 24 in | 3.00 | | |
| 2 to 3 ft | 4.00 | 40.00 | |
| | 5.00 | 48.00 | |
| 4 to 5 ft | 6.00 | | |
| occ. douglasi pyramidalis Dougla | | | |
| 2½ to 3 ft | 3.50 | 33.00 | 300.00 |
| 3 to 4 ft | 4.50 | 42.00 | 390.00 |
| 4 to 5 ft | 6.00 | | |
| occ. dumosa | Bu | shy Arb | orvitae |
| 18 to 24 in | 3.00 | 27.00 | |
| 2 to 2½ ft | 4.00 | 38.00 | |
| | | | |

| THUJA-continued | Fach | Per 10 H | Por 100 |
|-----------------------------|--------------|----------------|----------|
| | | | |
| occ. ellwangeriana | | umb Arbo | orvuae |
| 12 to 15 in | | | |
| 15 to 18 in | | 22,50 | |
| 18 to 24 in | | 27.00 | |
| 2 to 22 it | 3.00 | 27.00 | |
| 0 | American G | lobe Arb | orvitae |
| 12 to 15 in | | 20.00 | |
| 15 to 18 in | | 22.50 | |
| 18 to 24 in | | 27.00 | |
| 2 to 2½ ft | 4.00 | | |
| occ. hoveyi | H | ovey Arb | orvitae |
| 15 to 18 in | 2.00 | 18.00 | |
| 18 to 24 in | 2.50 | 22.50 | |
| 2 to 2½ ft | 3.00 | | |
| occ. little gem | Little | Gem Arb | orvitae |
| 9 to 12 in. spread | | 00110 221 0 | o. v.nac |
| 12 to 15 in. spread | | | |
| 15 to 18 in. spread | | | |
| 18 to 24 in. spread | | | |
| occ. lutea | George Pea | hada Arb | orvitaa |
| 18 to 24 in | | | oremae |
| | | 33.00 42.00 | |
| 2 to 2½ ft | | | |
| occ. pumila (umbraculifera) | | lobe Arb | orvitae |
| 2½ to 3 ft | | | |
| 3 to 4 ft | 10.00 | | |
| occ. pyramidalis Am | erican Pyran | iidal Arb | orvitae |
| 2 to 2½ ft | 3.00 | 28.00 | 270.00 |
| $2\frac{1}{2}$ to 3 ft | | 35.00 | |
| 3 to $3\frac{1}{2}$ ft | | 48.00 | |
| 3½ to 4 ft | | 58.00 | |
| 4 to 4½ ft | | | |
| 4½ to 5 ft | | | |
| 5 to 6 ft | 9.00 | | |
| occ. rosenthali | | $thal_Arb$ | orvitae |
| 15 to 18 in | | 22.50 | |
| 18 to 24 in | | 27.00 | |
| 2 to 2½ ft | 3.50 | | |
| occ. siberica—See occ. ware | eana | | |
| occ. vervaeneana | Verv | aene Arb | orvitae |
| 2 to 2½ ft | 3.50 | 33.00 | |
| 2½ to 3 ft | 4.00 | 38.00 | |
| 3 to 4 ft | 4.50 | 42.00 | |
| occ. verv. aurea | Vervaene Go | lden Arb | orvitae |
| 2 to 2½ ft | | | |
| 2½ to 3 ft | 4.00 | | |
| 3 to 4 ft | 4.50 | | |
| | | | |

| | I MANAGEMENT IN THE PROPERTY OF THE PROPERTY O | | ************************ |
|--|--|-----------|--------------------------|
| THUJA—continued | Each | Per 10 | Per 100 |
| occ. wagneri | Wa | gner Arb | orvitae |
| 18 to 24 in | \$4.00 | | |
| 2 to 2½ ft | 5.00 | | |
| 2½ to 3 ft | 6.00 | | |
| occ. wareana Ware (o | r Siber | ian) Arb | orvitae |
| 18 to 24 in | | 27.00 | 250.00 |
| 2 to 2½ ft | 3.50 | 33.00 | 300.00 |
| 2½ to 3 ft | 4.50 | 42.00 | 390.00 |
| 3 to 4 ft | 6.00 | 55.00 | |
| TSUGA canadensis | (| Canada H | emlock |
| 18 to 24 in | _ | 25.00 | |
| 2 to 2½ ft | | 32.00 | 300.00 |
| 2½ to 3 ft | | | |
| 3 to 3½ ft | 5. 50 | | |
| 3½ to 4 ft | 7.00 | | |
| 3½ to 4 ft. extra broad | . 9.00 | | |
| 4 to 5 ft | 9.00 | | |
| 4 to 5 ft. extra broad | . 11.00 | | |
| 5 to 6 ft | | | |
| 5 to 6 ft. extra broad | | | |
| 6 to 7 ft | | | |
| 7 to 8 ft | | | |
| 8 to 9 ft | | | |
| 9 to 10 ft. extra broad 10 to 12 ft. extra broad | | | |
| | | | |
| caroliniana | | arolina H | emlock |
| 18 to 24 in | | | |
| 2 to 2½ ft | | | |
| 2½ to 3 ft | | | |
| diversifolia | | panese H | emlock |
| 18 to 24 in | | | |
| 2 to 2½ ft | | | |
| 3 to 4 ft | | | |
| EVERGREEN SE | HRUB | S | |
| ANDROMEDA—See PIERIS | | | |
| ARCTOSTAPHYLOS uva-ursi | | Re | arberry |
| 2 yrs | . \$.60 | | arocrij |
| DAPHNE cneorum | , γ | | D 7 |
| 6 to 8 in | 1.00 | | Daphne |
| 8 to 10 in | . 1.00 | | |
| 5 to 10 m | . 1.25 | 12.00 | |
| EUONYMUS radicans | | | creeper |
| 2 yrs | | | 33.00 |
| 3 yrs | 50 | 4.50 | 36.00 |
| rad. acutis S. | harple | af Winter | creener |
| 2 yrs | - | | - P |
| 3 yrs | | | |
| 4 yrs | 75 | 6.00 | |
| | | | |

| EUONYMUS—continued | 10111111111111111111111111111111111111 | | шинини |
|--|--|------------------|---------|
| EUUN I MUS—continued | Each | Per 10 | Per 100 |
| rad. argenta-marginata | | | |
| 3 yrs | | | |
| rad. carrieri | Glossy | Winter | roonor |
| 2 yrs | | | 42.00 |
| 3 yrs | | 6.00 | |
| | | TV2: | |
| rad. kewensis 4 in. pots | | Winter | creeper |
| | | | |
| rad. variegata—See rad. arger | ita-margina | ta | |
| rad. vegetus | Biglea | | - |
| 2 yrs | | | |
| 3 yrs | 75 | 6.00 | 48.00 |
| HEDERA helix | | Engl | ish Ivy |
| 4 in. pots, 18 in. tops | 60 | 5.50 | 50.00 |
| 4 in. pots, 2 ft. tops | | 6.50 | 60.00 |
| ILEX glabra | | I, | kberry |
| 15 in | 2.00 | | inverry |
| 18 in | 2.50 | | |
| KALMIA angustifolia | | $L\epsilon$ | mbkill |
| 18 to 24 in | 1.75 | 16.00 | 140.00 |
| 2 to 2½ ft | | 18.00 | 160.00 |
| 2½ ft. to 3 ft | 2.50 | 20.00 | 180.00 |
| latifolia | Ŋ | Iountai n | Laurel |
| 15 to 18 in | | | 210.00 |
| 18 to 24 in | 2.75 | 26.00 | 250.00 |
| 2 to 2½ ft | | 30.00 | 280.00 |
| 2½ to 3 ft | | 38.00 | |
| 3 to 3½ ft | | | |
| 3½ to 4 ft | 8.00 | | |
| LEUCOTHOE catesbaei | Droc | ping Lei | ucothoe |
| 15 to 18 in. THESE | 2.00 | | |
| 18 to 24 in. ARE | 2.50 | | |
| 2 to 2½ ft. VERY | 3.20 | | |
| 2½ to 3 ft. BUSHY 3 to 4 ft. PLANTS | 4.00 | | |
| 3 to 4 ft. PLANTS | 5.00 | 48.00 | |
| PACHYSANDRA terminalis | | Tapanese | _ |
| 2 yrs. from pots | | 1.80 | |
| 3 yrs. from pots | • • • • • | 2.00 | 16.00 |
| PIERIS floribunda | | tain And | romeda |
| 12 to 15 in. spread | | 27.00 | 240.00 |
| 15 to 18 in. spread | | 36.00 | |
| 18 to 24 in. spread | | | |
| 2 to 2½ ft. spread | 8.00 | | |
| VINCA minor | | mon Per | |
| 2 yrs. from pots | | 2.00 | 15.00 |

RHODODENDRONS NATIVE SPECIES

R

| MATIANDIN | ٠. | | | |
|----------------------------|----|--------|----------|----------------|
| | | Each | Per 10 1 | Per 100 |
| RHODODENDRON carolinianum- | | pink | | |
| C | ĩa | rolina | Rhodod | en dron |
| 15 in | | \$2.50 | 22.50 | 210.00 |
| 18 in | | 3.00 | 27.00 | 250.00 |
| 2 ft | | 3.50 | 32.00 | |
| 2½ ft | | 4.50 | | |
| catawbiense—deep pink | Ca | tawba | Rhodod | endron |
| 15 in | | 2.50 | 22.50 | |
| 18 in | | 2.75 | | |
| 2 ft. clumps | | 3.00 | | |
| 3 ft. clumps | | 5.00 | | |
| catawb. compacta Dwarf | Ca | tawba | Rhodod | endron |
| 15 to 18 in. clumps | | 3.00 | | |
| 18 to 24 in. clumps | | 3.50 | | |
| maximum F | R | sebay | Rhodod | endron |
| 18 in | | 2.75 | 25.00 | |
| 2 ft. bushy | | 3.00 | 27.00 | |
| 2½ ft. bushy | | 4.00 | 36,00 | |
| 3 ft. bushy | | 5.00 | 45.00 | |
| 4 ft. bushy | | 7.00 | 63.00 | |
| 5 ft. bushy | | 10.00 | | |
| 6 ft. bushy | • | 15.00 | | |
| micranthum Man | ıc | hurian | Rhodod | lendron |
| 15 to 18 in | | 2.50 | 24.00 | |
| 18 to 24 in | | 3.00 | 27.00 | 240.00 |
| 2 to 2½ ft | | 3.50 | | |
| | | | | |

HARDY HYBRID RHODODENDRONS

We offer the following sorts which we have grown from seeds of Hybrid Rhododendrons. While those that have already blossomed follow their parents to a considerable degree in color of the flowers, WE DO NOT GUARANTEE THE COLOR. These plants are MUCH HARDIER THAN THE GRAFTED HYBRIDS.

| 15 inches tall B&B\$3.50 each | 1 |
|---|---|
| 18 inches tall B&B 4.50 each | 1 |
| 2 ft. tall B&B 6.00 each | 1 |
| 2½ ft. tall B&B 8.00 each | 1 |
| Abraham Lincoln—Red, 15 in., 18 in., 2 ft. | |
| Album Elegans—Blush white, 15 in., 18 in. | |
| Caractacus—Red, 15 in., 18 in. | |
| Catawbiense grandiflorum—Rosy purple, 15 in., 18 in. | |
| Hanna Felix—Dark red, 15 in. | |
| Kettledrum—Crimson, 15 in., 18 in. | |
| Lady Armstrong—Rose, 15 in., 18 in. | |
| President Lincoln—Rose, 15 in., 18 in., 2 ft., 2½ ft. | |
| | |

DECIDUOUS SHADE AND ORNAMENTAL TREES

Caliper measurements are taken 12 inches above ground. Varieties marked "B & B" are always dug with Ball and Burlapped at No Additional Cost.

| | Each | Per 10 | Per 100 |
|---|--------|---------|---------|
| ACER dasycarpum | | Silver | Maple |
| 5 to 6 ft | \$1.25 | 11.00 | 90.00 |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | |
| 10 to 12 ft | 2.25 | 20.00 | |
| 12 to 14 ft. | | 0 h d 0 | |
| 1¾ to 2 in. caliper | 3.00 | 27.50 | |
| 2 to 2½ in. caliper | 4.00 | | |
| 18 to 24 ft. | 7.00 | | |
| 2½ to 3 in. caliper | 5.00 | | |
| Large specimens\$10.00 to \$25.0 | | | |
| | | 177. | 7.7 |
| dasy. wieri | | | Maple |
| 6 to 8 ft | 1.75 | 15.00 | |
| ginnala | | Amur | Maple |
| 2 to 3 ft | .60 | 5.40 | |
| 3 to 4 ft | 1.00 | 9.00 | 75.00 |
| 4 to 5 ft | 1.25 | 11.00 | 90.00 |
| 5 to 6 ft | 1.75 | 16.00 | 125.00 |
| 6 to 8 ft | 2.25 | 20.00 | 150.00 |
| platanoides | | Norway | Maple |
| 6 to 8 ft | 2.00 | 18.00 | |
| 8 to 10 ft. | | | |
| 1 to $1\frac{1}{4}$ in. caliper | 3.00 | 27.00 | |
| 10 to 12 ft. | | | |
| 1½ to 1½ in. caliper | 3.25 | | |
| 14 to 16 ft. | | | |
| 2 to 2½ in. caliper | 5.00 | 45.00 | |
| 16 to 18 ft. | | | |
| $2\frac{1}{2}$ to 3 in. caliper | 6.00 | 55.00 | |
| 16 to 18 ft. | | | |
| 3 to $3\frac{1}{2}$ in. caliper | 7.50 | 70.00 | |
| 18 to 20 ft. | | | |
| $3\frac{1}{2}$ to 4 in. caliper\$12.00 to | 20.00 | | |
| 20 to 30 ft. | | | |
| 4 to 5 in. caliper 20.00 to | 50.00 | | |
| plat. schwedleri | Se | hwedler | Maple |
| 6 to 8 ft | 3.50 | 33.00 | |
| 8 to 10 ft | 4.50 | | |
| | | | |

| | 111111111111111111111111111111111111111 | |
|--|---|----------------|
| ACER—continued | Each | Per 10 Per 100 |
| saccharum | | Sugar Maple |
| 12 to 14 ft. | | |
| 1½ to 1¾ in. caliper | . \$3.25 | |
| 14 to 16 ft. | | |
| 1 ³ / ₄ to 2 in. caliper | . 3.75 | |
| 16 to 18 ft. | | |
| 2 to 2½ in. caliper | 4.50 | |
| 18 to 20 ft. | | |
| 2½ to 3 in. caliper | 6.00 | 55.00 |
| 20 to 22 ft. | | |
| 3 to $3\frac{1}{2}$ in. caliper | 10.00 | 90.00 |
| 22 to 26 ft. | | |
| $3\frac{1}{2}$ to 4 in. caliber | 15.00 | 140.00 |
| Larger Specimens\$15.00 to | | |
| Harger Specimens | | |
| sacch. nigrum | Bla | ck Sugar Maple |
| 14 to 16 ft. | | |
| 13 to 2 in. caliper | 4.00 | |
| 16 to 18 ft. | | |
| 2 to 2½ in. caliper | 5.00 | |
| 18 to 20 ft. | | |
| 2½ to 3 in. caliper | 6.00 | |
| 20 to 22 ft. | 0.00 | |
| 3 to $3\frac{1}{2}$ in. caliper | 10.00 | |
| 5 to 52 m. camper | 10.00 | |
| tataricum | | Tatarian Maple |
| 6 to 8 ft | 1.75 | 15.00 |
| 8 to 10 ft | 2.75 | 25.00 |
| 10 to 12 ft | 3.00 | |
| 12 to 1 4 ft | 3.25 | |
| 14 to 16 ft | 3.75 | |
| 16 to 18 ft | 4.50 | |
| | 1.50 | |
| AESCULUS hippocastanum | | Horsechestnut |
| 6 to 8 ft | 2.75 | |
| 8 to 10 ft | 3.50 | |
| 10 to 12 ft | 4.50 | |
| | | |
| pavia | | Red Buckeye |
| 8 to 10 ft | 3.50 | |
| 10 to 12 ft | 4.50 | |
| 12 to 14 ft | 6.00 | |
| 14 to 16 ft | 8.00 | |
| 16 to 18 ft | 10.00 | |
| | | |
| | | Walking Stick |
| 3 to 4 ft | .90 | 8.00 |
| BETULA alba E | uronea | n White Birch |
| 4 to 5 ft | 1.35 | 12.00 |
| 5 to 6 ft | 1.50 | 13.50 |
| 6 to 8 ft | | 15.50 |
| 6 to 8 ft | 2.00 | |
| II. I | | |

alba laciniata—See BETULA pendula gracilis

B

| Accessive the contract of the | .mawmmunuou | imananininininininininininininini |
|---|-------------|-----------------------------------|
| BETULA—continued | Each | Per 10 Per 100 |
| lutea | | Yellow Birch |
| 5 to 6 ft | | 12.50 |
| 6 to 8 ft | | 17.50 |
| 8 to 10 ft | 2.50 | 22.50 |
| papyrifera | | Canoe Birch |
| 5 to 6 ft | . 1.50 | 13.50 |
| 6 to 8 ft | . 2.00 | 18.00 |
| pendula gracilis | Cutleaf | Weeping Birch |
| 4 to 6 ft | . 3.00 | |
| 6 to 8 ft | . 4.00 | |
| 8 to 10 ft | . 5.00 | |
| 20 to 25 ft | 9.00 | |
| CARPINUS caroliniana | Amer | rican Hornbeam |
| 8 to 10 ft. B&B | . 3.00 | |
| 10 to 12 ft. B&B | | |
| 12 to 16 ft. B&B | . 7.50 | |
| CATALPA bignonioides | C | ommon Catalpa |
| 5 to 6 ft | | |
| 6 to 8 ft | | 10.00 |
| 8 to 10 ft | | 12.00 |
| 10 to 12 ft | | 18.00 |
| 12 to 14 ft | . 2.50 | |
| bignonioides nana | | mbrella Catalpa |
| 2 yr. heads | . 2.00 | 18.00 |
| bungei-See bignonioides nana s | bove | |
| speciosa | 1 | Western Catalpa |
| 4 to 5 ft | 85 | 7.50 60.00 |
| 5 to 6 ft | . 1.00 | 9.00 75.00 |
| 6 to 8 ft | . 1.25 | 10.00 |
| CERASUS (Flowering Cherries)— | See PR | UNUS |
| CERCIS canadensis | An | ierican Red Bud |
| 2 to 3 ft | 75 | |
| 3 to 4 ft | | |
| CHIONANTHUS virginica | | White Fringe |
| 2 to 3 ft | . 1.25 | 10.00 |
| 3 to 4 ft | . 1.50 | 12.00 |
| 4 to 5 ft | . 2.00 | 18.00 |
| 5 to 6 ft | . 2.50 | |
| CORNUS florida | Flor | wering Dogwood |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 4 to 5 ft. B&B | . 2.00 | |
| 5 to 6 ft. B&B | . 2.75 | |
| flor. rubra | Red Flor | wering Dogwood |
| 3 to 4 ft. B&B | | |
| 4 to 5 ft. B&B | . 6.50 | |
| 5 to 6 ft. B&B | . 8.00 | |
| | | |

| | | | THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TRAINING IN COLUMN TRAIN |
|------------------------|--------|-----------|--|
| CRATAEGUS coccinea | Th | icket Ho | wthorn |
| | Each | Per 10 | Per 100 |
| 3 to 4 ft | \$1.25 | 11.00 | |
| 4 to 5 ft | 1.50 | 13.50 | |
| 5 to 6 ft | 1.75 | 16.00 | |
| 8 to 10 ft. B&B | 2.75 | 25.00 | |
| 10 to 12 ft. B&B | 4.00 | 36.00 | |
| 12 to 14 ft. B&B | 5.00 | 45.00 | |
| 14 to 16 ft. B&B | 6.50 | 60.00 | |
| 16 to 18 ft. B&B | | 90.00 | |
| | | | |
| | Washin | igton Ha | wthorn |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | 12.00 | |
| 5 to 6 ft | 1.75 | 15.00 | |
| 6 to 8 ft. B&B | 2.50 | 22.50 | |
| 11: | , | , , | mı |
| crusgalli | | Cockspur | Thorn |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | 12.00 | |
| 5 to 6 ft | 1.75 | | |
| 6 to 8 ft | 2.25 | 20.00 | 180.00 |
| 8 to 10 ft. B&B | 3.00 | 27.00 | 240.00 |
| monogyna alboplena Dou | ble En | glish Hà | wthorn |
| 4 to 5 ft. B&B | 2.00 | g <u></u> | |
| 5 to 6 ft. B&B | 2.50 | | |
| 6 to 7 ft. B&B | 3.00 | | |
| 0 to 7 to Bab | 0.00 | | |
| FAGUS americana | A | lmerican | . Beech |
| 8 to 10 ft. B&B | 5.00 | | |
| 10 to 12 ft. B&B | 7.00 | 60.00 | |
| 12 to 14 ft. B&B | 9.00 | 80.00 | |
| 14 to 16 ft. B&B | 12.00 | 110.00 | |
| 16 to 20 ft. B&B | 15.00 | 140.00 | |
| 20 to 25 ft. B&B | 20.00 | 180.00 | |
| 20 to 23 it. b&b | 20.00 | 100.00 | |
| syl. riversi | | River | Beech |
| 10 to 12 ft. B&B | 20.00 | | |
| 12 to 14 ft. B&B | 25.00 | | |
| 14 to 16 ft, B&B | 30.00 | | |
| 16 to 18 ft. B&B | 40.00 | | |
| | | | |
| FRAXINUS americana | | Wh | ite Ash |
| 5 to 6 ft | 1.00 | 9.00 | |
| 6 to 8 ft | 1.25 | 12.00 | |
| 8 to 10 ft | 1.50 | 14.00 | |
| 10 to 12 ft | 2.00 | | |
| | 2.00 | 0 | 4.7 |
| lanceolata | | | en Ash |
| 6 to 8 ft | 1.25 | 12.00 | |
| 8 to 10 ft | 1.50 | 14.00 | |
| 10 to 12 ft | 2.00 | | |
| 12 to 14 ft | 2.50 | | |

| GLEDITSIA triacanthos | Comm | on Honeylocust |
|-------------------------|--------|-----------------|
| Salar Hucummos | Each | Per 10 Per 100 |
| 4 to 5 ft | | 7.00 60.00 |
| 5 to 6 ft | | 8.00 70.00 |
| 6 to 8 ft | | 0.00 |
| | | |
| GYMNOCLADUS dioica | Kent | ucky Coffeetree |
| 2 to 3 ft | 1.00 | 9.00 |
| 3 to 4 ft | | |
| 4 to 5 ft | . 1.50 | |
| THE ANG | | D., 44 |
| JUGLANS cinerea | 1 50 | Butternut |
| 5 to 6 ft | | 14.00 |
| 6 to 8 ft | | 18.00 |
| 8 to 10 ft | | |
| | . 3.00 | 7) 7 777 7 |
| nigra | | Black Walnut |
| 3 to 4 ft | | |
| 4 to 5 ft | . 1.30 | |
| LABURNUM alpinum | S | cotch Laburnum |
| 2 to 3 ft. bush form | | coten Baoan nam |
| 3 to 4 ft. bush form | | |
| 5 to 4 it, bush form | | |
| LARIX europaea | | European Larch |
| 4 to 5 ft. B&B | | |
| 5 to 6 ft. B&B | . 2.00 | 18.00 |
| 6 to 8 ft. B&B | . 2.50 | 22.50 |
| LIRIODENDRON tulipifera | | Tulip Tree |
| 3 to 4 ft | . 1.00 | |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| | | 4 770 7 |
| MALUS arnoldiana | | Arnold Crab |
| 3 to 4 ft. B&B | | |
| 4 to 5 ft. B&B | | |
| 5 to 6 ft. B&B | 3.00 |) |
| atropurpurea | | Purpleleaf Crab |
| 4 to 5 ft. B&B | |) |
| 5 to 6 ft. B&B | |) |
| 6 to 7 ft. B&B | |) |
| 7 to 8 ft. B&B | 5.00 | 45.00 |
| atrosanguinea | | Carmine Crab |
| 3 to 4 ft. B&B | 2.00 | 18.00 |
| 4 to 5 ft. B&B | | |
| 5 to 6 ft. B&B | 3.00 | |
| 6 to 7 ft. B&B | |) |
| baccata | | Siberian Crab |
| 3 to 4 ft. B&B | 2.0 | |
| 4 to 5 ft. B&B | | |
| 5 to 6 ft. B&B | | |
| 6 to 8 ft. B&B | | |
| · to o it. D&D | 7.10 | |

| MALUS—continued coronaria Each Per 10 Per 100 3 to 4 ft. B&B \$2.00 4 to 5 ft. B&B \$2.00 5 to 6 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 8 ft. B&B 3.00 27.00 floribunda Japanese Flowering Crab 2 to 3 ft. B&B 1.50 3 to 4 ft. B&B 2.00 18.00 4 to 5 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 13.50 3 to 4 ft. B&B 2.50 13.50 3 to 4 ft. B&B 2.50 18.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 2.50 5 to 6 ft. B&B 3.50 22.50 5 to 6 ft. B&B 3.00 22.50 </th <th>25.4.7.7.7</th> <th></th> <th></th> <th></th> | 25.4.7.7.7 | | | | |
|---|---|------|-------------|---------|--|
| 3 to 4 ft. B&B. \$2.00 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 27.00 6 to 8 ft. B&B. 4.00 36.00 6 to 8 ft. B&B. 4.00 36.00 6 to 8 ft. B&B. 1.50 3 to 4 ft. B&B. 2.00 18.00 4 to 5 ft. B&B. 2.50 22.00 5 to 6 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 10 consis fl. pl. Bechtel Crab 2 to 3 ft. B&B. 1.50 13.50 3 to 4 ft. B&B. 2.00 18.00 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.50 1 consis fl. pl. Bechtel Crab 2 to 3 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 6 to 7 ft. B&B. 3.50 5 to 6 ft. B&B. 3.50 5 to 6 ft. B&B. 3.00 5 to 6 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 3.00 5 to 6 ft. B&B. 3.00 5 to 6 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 33.00 7 to 8 ft. B&B. 3.50 33.00 7 to 8 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.00 27.00 6 t | MALUS—continued | | | | |
| 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 27.00 6 to 8 ft. B&B. 4.00 36.00 floribunda Japanese Flowering Crab 2 to 3 ft. B&B. 1.50 3 to 4 ft. B&B. 2.00 18.00 4 to 5 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 ioensis fl. pl. Bechtel Crab 2 to 3 ft. B&B. 1.50 13.50 3 to 4 ft. B&B. 2.00 18.00 4 to 5 ft. B&B. 3.50 ioensis fl. pl. Bechtel Crab 2 to 3 ft. B&B. 1.50 13.50 3 to 4 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 4 to 5 ft. B&B. 3.50 ioensis fl. pl. Bechtel Crab 2 to 3 ft. B&B. 1.50 13.50 3 to 4 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 6 to 7 ft. B&B. 3.00 6 to 7 ft. B&B. 3.50 parkmani Parkman Crab 3 to 4 ft. B&B. 3.50 parkmani Parkman Crab 3 to 4 ft. B&B. 3.00 5 to 6 ft. B&B. 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B. 2.50 22.50 4 to 5 ft. B&B. 3.00 7 to 8 ft. B&B. 3.50 33.00 30.00 | | | rua swee | et Grao | |
| Sto 6 ft. B&B | | | | | |
| Str. B&B. 4.00 36.00 | | | 27.00 | | |
| Second Columbia | | | | | |
| 2 to 3 ft. B&B | | | | a Crab | |
| 3 to 4 ft. B&B | | | I totter th | g Cruo | |
| 4 to 5 ft. B&B 2.50 22.00 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 ioensis fl. pl. | | | 18.00 | | |
| 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 ioensis fl. pl. Bechtel Crab 2 to 3 ft. B&B 1.50 13.50 3 to 4 ft. B&B 2.00 18.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 4.00 niedzwetzkyana Redvein Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 3.50 parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 3.00 5 to 6 ft. B&B 3.00 5 to 6 ft. B&B 2.50 2 to 3 ft. B&B 2.50 2 to 3 ft. B&B 2.50 2 to 3 ft. B&B 3.00 5 to 6 ft. B&B 3.50 3 to 4 ft. B&B 2.50 2 to 5 ft. B&B 3.50 3 to 4 ft. B&B 3.50 3 to | | | | | |
| ioensis fl. pl. Bechtel Crab 2 to 3 ft. B&B 1.50 13.50 3 to 4 ft. B&B 2.00 18.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 4.00 niedzwetzkyana Redvein Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 3.50 parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 3.00 5 to 6 ft. B&B 2.50 22.50 3 to 4 ft. B&B 2.50 22.50 3 to 4 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 \$ to 6 ft. B&B 3.00 27.00 \$ to 6 ft. B&B 3.00 27.00 \$ to 6 ft. B&B 3.00 27.00 \$ to 6 ft. B&B 3.00 27.00 25.00 <td colsp<="" td=""><td></td><td></td><td></td><td></td></td> | <td></td> <td></td> <td></td> <td></td> | | | | |
| 2 to 3 ft. B&B | | | | | |
| 3 to 4 ft. B&B. 2.00 18.00 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 4.00 niedzwetzkyana Redvein Crab 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 6 to 7 ft. B&B. 3.00 5 to 6 ft. B&B. 2.50 2 to 3 to 4 ft. B&B. 2.50 2 to 3 ft. B&B. 2.50 3 to 4 ft. B&B. 2.50 3 to 4 ft. B&B. 2.00 4 to 5 ft. B&B. 2.00 4 to 5 ft. B&B. 3.00 5 to 6 ft. B&B. 3.50 3 to 4 ft. B&B. 2.50 2 to 6 ft. B&B. 3.00 4 to 5 ft. B&B. 3.50 3 to 6 ft. B&B. 3.50 3 to 6 ft. B&B. 2.50 5 to 6 ft. B&B. 3.50 3 to 6 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 7 to 8 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 </th <th>ioensis fl. pl.</th> <th></th> <th>Bechte</th> <th>el Crab</th> | ioensis fl. pl. | | Bechte | el Crab | |
| 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 4.00 niedzwetzkyana Redvein Crab 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 6 to 7 ft. B&B. 3.50 parkmani Parkman Crab 3 to 4 ft. B&B. 3.00 5 to 6 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 3.00 27.00 4 to 5 ft. B&B. 3.50 33.00 7 to 8 ft. B&B. 3.50 33.00 7 to 8 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 33.00 300.00 7 to 8 ft. B&B. 3.50 33.00 300.00 7 to 8 ft. B&B. 3.50 33.00 300.00 7 to 8 ft. B&B. 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads. 2.50 OSTRYA virginiana American Hophornbean | 2 to 3 ft. B&B | 1.50 | 13,50 | | |
| sto 6 ft. B&B. 4.00 niedzwetzkyana Redvein Crab 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 6 to 7 ft. B&B. 3.50 parkmani Parkman Crab 3 to 4 ft. B&B. 2.50 22.50 4 to 5 ft. B&B. 3.00 5 to 6 ft. B&B. 4.00 sargenti Sargent Crab 2 to 3 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 2.50 22.50 3 to 4 ft. B&B. 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B. 2.00 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 33.00 7 to 8 ft. B&B. 2.50 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B. 2.50 5 to 6 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.00 27.00 6 to 7 ft. B&B. 3.50 33.00 30.00 7 to 8 ft. B&B. 3.50 33.00 <t< td=""><td>3 to 4 ft. B&B</td><td>2.00</td><td>18.00</td><td></td></t<> | 3 to 4 ft. B&B | 2.00 | 18.00 | | |
| niedzwetzkyana Redvein Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 3.50 parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 3.00 sargenti Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.50 25.50 | | 2.50 | 22.50 | | |
| 4 to 5 ft. B&B | 5 to 6 ft. B&B | 4.00 | | | |
| 5 to 6 ft. B&B 3.00 6 to 7 ft. B&B 3.50 parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 4.00 sargenti Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 8 to 6 ft. B&B 3.50 33.00 8 to 6 ft. B&B | niedzwetzkyana | | Redvei | n Crab | |
| 6 to 7 ft. B&B 3.50 parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 4.00 Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 Scheidecker Crab 3 to 4 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 30.00 7 to 8 | 4 to 5 ft. B&B | 2.50 | | | |
| parkmani Parkman Crab 3 to 4 ft. B&B 2.50 22.50 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 4.00 sargenti Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 2.50 22.50 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 4 to 5 ft. B&B 3.50 33.00 5 to 6 ft. B&B 3.50 33.00 7 to 8 ft. B&B 3.50 33.00 | 5 to 6 ft. B&B | 3.00 | | | |
| 3 to 4 ft. B&B | 6 to 7 ft. B&B | 3.50 | | | |
| 4 to 5 ft. B&B 3.00 5 to 6 ft. B&B 4.00 sargenti 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 5 to 6 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 300.00 300.00 7 to 8 ft. stems, 2 yr. heads 2.50 OSTR | | | | n Crab | |
| sargenti Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 30.00 7 to 8 ft. B&B 3.50 33.00 30.00 7 to 8 ft. B&B 4.00 4.00 4.00 30.00 7 to 8 ft. B&B 4.00 4.00 30.00 30.00 30.00 7 to 8 ft. B&B 4.00 4.00 30.00 30.00 30.00 30.00 8 ft. B&B 4.00 4 | | | 22.50 | | |
| sargenti Sargent Crab 2 to 3 ft. B&B 2.50 22.50 3 to 4 ft. B&B 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.00 27.00 5 to 6 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 4.00 30.00 300.00 7 to 8 ft. B&B 4.00 4.00 30.00 300.00 300.00 7 to 8 ft. B&B 4.00 4.00 4.00 4.00 4.00 | | | | | |
| 2 to 3 ft. B&B | 5 to 6 ft. B&B | 4.00 | | | |
| 3 to 4 ft. B&B 3.00 scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana | sargenti | | Sargei | ıt Crab | |
| scheideckeri Scheidecker Crab 3 to 4 ft. B&B 2.00 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbean | | | 22.50 | | |
| 3 to 4 ft. B&B | 3 to 4 ft. B&B | 3.00 | | | |
| 4 to 5 ft. B&B | scheideckeri | S | cheideck | er Crab | |
| 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 3.50 33.00 7 to 8 ft. B&B 5.00 45.00 spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana | 3 to 4 ft. B&B | 2.00 | | | |
| 6 to 7 ft. B&B | 4 to 5 ft. B&B | 2.50 | 22.50 | | |
| 7 to 8 ft. B&B | | | 27.00 | | |
| spectabilis riversi rosea plena Double Pink Chinese Crab 4 to 5 ft. B&B 2.50 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbean | | | 33.00 | | |
| 4 to 5 ft. B&B | | | | | |
| 5 to 6 ft. B&B 3.00 27.00 6 to 7 ft. B&B 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbean | | | ık Chine | se Crab | |
| 6 to 7 ft. B&B. 4.00 36.00 theifera Tea Crab 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 27.00 250.00 6 to 7 ft. B&B. 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads. 2.50 OSTRYA virginiana American Hophornbeam | | | 27 00 | | |
| theifera Tea Crab 4 to 5 ft. B&B 2.50 22.50 5 to 6 ft. B&B 3.00 27.00 250.00 6 to 7 ft. B&B 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbeam | | | | | |
| 4 to 5 ft. B&B. 2.50 22.50 5 to 6 ft. B&B. 3.00 27.00 250.00 6 to 7 ft. B&B. 3.50 33.00 300.00 7 to 8 ft. B&B 4.00 MORUS alba pendula Teas Weeping Mulberry 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbeam | | 4.00 | | | |
| 5 to 6 ft. B&B | | 0.40 | | | |
| 6 to 7 ft. B&B | | | | | |
| 7 to 8 ft. B&B | 6 to 7 ft R&P | 3.00 | 33.00 | | |
| MORUS alba pendula 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana Teas Weeping Mulberry 2.50 American Hophornbeam | 7 to 8 ft. B&B | 4.00 | 33.00 | 300.00 | |
| 5 to 6 ft. stems, 2 yr. heads 2.50 OSTRYA virginiana American Hophornbeam | | | oning M | ulharra | |
| OSTRYA virginiana American Hophornbeam | | | epuig M | utoerry | |
| | | | . 77 . 7 | | |
| | | | n Hophoi | rnbeam | |

| 41-111 (111) 111-111 (111) 111-1111 (111) 111-1111 (111) 111-1111 (111) 111-1111 (111) 111-1111 (111) 111-111 | 10037723001430144444 | T(\$11000001153511550000 | *************************************** |
|---|----------------------|--------------------------|---|
| PHELLODENDRON sachalinense | Sag | halien C | orktree |
| | Each | Per 10 1 | Per 100 |
| 8 to 10 ft | 7-10-0 | 21.00 | |
| 10 to 12 ft | | 25.00 | 200.00 |
| 12 to 14 ft | | 30.00 | |
| 14 to 16 ft | | 36.00 | |
| 16 to 18 ft | 5.00 | - | |
| POPULUS nigra italica | L_{ℓ} | mbardy | Poplar |
| 6 to 8 ft | | 10.00 | 90.00 |
| 8 to 10 ft | | 12.00 | 100.00 |
| 10 to 12 ft | 2.00 | 18.00 | |
| 12 to 14 ft | | | |
| 14 to 16 ft | | | |
| DDIINIIS | | | |
| PRUNUS avium alba plena Chinese Double W | hita Fl | omorina. | Charra |
| 4 to 5 ft. B&B | | owering | Cherry |
| | 7.50 | | |
| avium rosea plena Chinese Double 1 | Dink Fl | anomina | Charme |
| 3 to 4 ft. B&B | | owering | Cherry |
| 4 to 5 ft B&B | | | |
| cerasifera pissardi | | Purpleled | f Dlum |
| 3 to 4 ft | | ui pieted | ij i tu iii |
| 4 to 5 ft | | | |
| 5 to 6 ft | | 22.50 | |
| serotina | 2.50 | | Cherry |
| 2 to 3 ft | 75 | Doucio | a.com |
| 3 to 4 ft | | 9.00 | |
| 4 to 5 ft | | 10.00 | |
| 5 to 6 ft | 1.50 | 12.00 | |
| PTELEA trifoliata | C | ommon E | Inntree |
| 4 to 5 ft | | 6.00 | 48.00 |
| 5 to 6 ft | | 7.50 | 60.00 |
| 6 to 8 ft | | 9.00 | 00.00 |
| PYRUS calleryana | | inese Sai | d Dogs |
| 6 to 8 ft | | inese sui | iu I eui |
| 8 to 10 ft | | | |
| 10 to 12 ft | | | |
| 12 to 14 ft | | | |
| | . 0.00 | | |
| QUERCUS alba | | | ite Oak |
| 5 to 6 ft | | 22.50 | |
| 6 to 8 ft | . 3.00 | 27.00 | |
| coccinea | | | let Oak |
| 4 to 5 ft | | 18.00 | |
| 5 to 6 ft | | 22.50 | |
| 6 to 8 ft | . 3.00 | | |
| palustris | | | Pin Oak |
| 5 to 6 ft | | 22.50 | |
| 6 to 8 ft | | 27.00 | |
| 8 to 10 ft | . 4.00 | 36.00 | |

| QUERCUS—continued | | Per 10 1 | |
|-----------------------------|---------|------------------|------------|
| 5 to 6 ft | | | |
| 6 to 8 ft | • | 27.00 | 250.00 |
| 0 10 0 1 | | | |
| ROBINIA pseudoacacia | | Common | Locust |
| 10 to 12 ft | 2.50 | | |
| 12 to 16 ft | | | |
| 16 to 20 ft | 4.00 | | |
| SALIX pentandra | | Laurel | Willow |
| 5 to 6 ft | .90 | 8.00 | |
| 6 to 8 ft | 1.00 | 9.00 | |
| SORBUS americana A | morica | n Mounte | in Ash |
| 5 to 6 ft | | 15.00 | 2010-12010 |
| 6 to 8 ft | | 18.00 | |
| | | | |
| - | - | n Mounte | |
| 5 to 6 ft. light grade | | | 120.00 |
| 5 to 6 ft. heavy | | 18.00 | |
| 6 to 8 ft. light | | 18.00 | |
| 6 to 8 ft. heavy | 2.50 | 22.50 | |
| commixta J | apanes | e Mounte | in Ash |
| 5 to 6 ft | 2.25 | 21.00 | |
| 6 to 8 ft | 2.75 | | |
| pekinensis | Chinos | e Mounta | in Ach |
| 5 to 6 ft | | c mount | 1010 21310 |
| 6 to 8 ft | | | |
| 8 to 10 ft | | | |
| | | | . T :1 |
| SYRINGA japonica 3 to 4 ft | 1.00 | mese Tre 8.50 | e Luac |
| 4 to 5 ft | 1.25 | 11.00 | |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 18.00 | 100.00 |
| 8 to 10 ft | 2.50 | | |
| 10 to 12 ft | | | |
| | | | |
| TILIA americana | | merican . | Linden |
| 6 to 8 ft | 2.00 | 18.00 | |
| cordata Little | eleaf E | uropean . | Linden |
| 8 to 10 ft | | • | |
| 10 to 12 ft. | | | |
| 1½ to 2 in. caliper | 4.50 | | |
| 12 to 14 ft. | | | |
| 2 to 2½ in. caliper | 5.50 | | |
| 14 to 16 ft. | | | |
| 2½ to 3 in. caliper | 7.00 | | |
| 16 to 20 ft. | 7.00 | | |
| 3 to 4 in. caliper\$8.00 to | 15.00 | | |
| 4 to 5 in. caliper20.00 to | | | |
| , to 5 m. camper20.00 to | . 50.00 | | |

| TILIA—continued platyphyllos Bigl | | Per 10 uropean | |
|--|-------|-------------------|----------------|
| 10 to 12 ft. $1\frac{3}{4}$ to 2 in. caliper | | - | 2000000 |
| • | | | |
| 12 to 14 ft. 2 to $2\frac{1}{2}$ in caliper | | | |
| 14 to 16 ft. $2\frac{1}{2}$ to 3 in. caliper | 6.00 | -54.00 | |
| ULMUS americana | | Ameri | can Elm |
| 6 to 8 ft | 1.50 | 14.00 | 135.00 |
| 8 to 10 ft | | | 200.00 |
| 0 to 10 1 | 2.20 | 21.00 | 200.00 |
| 10 to 12 ft. | | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in. caliper | 3.00 | 27.00 | |
| | 0.00 | | |
| 12 to 14 ft. | | | |
| 14 to 2 in. caliper | 4.00 | | |
| | | | |
| 14 to 16 ft. | | | |
| 2 to $2\frac{1}{2}$ in. caliper | 5.00 | | |
| 16.1-10.61 | | | |
| 16 to 18 ft. | | | |
| $2\frac{1}{2}$ to 3 in. caliper | 7.00 | | |
| 18 to 20 ft. | | | |
| | 10.00 | | |
| 3 to 4 in. caliper | 10.00 | | |
| | | | |

QUALITY NURSERY STOCK

Experience has proved that it is unprofitable to plant any but the best grade of Nursery Stock. The cost of transportation, the cost of planting and after care—whether paid in money or in physical effort—are too great to lay out on plants that will fail to fulfill their purpose and which will require that the work be done over in a short while.

At the most, the initial saving in buying poorly grown stock is small—in any case less than the cost of buying new plants and the cost of replanting.

Save yourself time, money and effort. Buy plants that have been grown by experts, on properly selected soil, in a rugged climate. Buy plants that have been properly pruned and trained to give immediate effect. Buy plants that have root systems sufficient to assure transplanting success—buy FRAMINGHAM NURSERY STOCK.

DECIDUOUS FLOWERING AND ORNAMENTAL SHRUBS

Varieties marked "B&B" are always dug with Ball and Burlapped at No Additional Cost.

| | Each | Per 10 | Per 100 |
|--------------------------------|---|--|--|
| ACANTHOPANAX pentaphyllum (| Aralia |) | |
| | | Fivelea | f Aralia |
| 2 to 3 ft | \$.45 | 3.60 | 33.00 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| | | | |
| AMELANCHIER canadensis (botrya | pium) | Sh | adblow |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft | .75 | 6.00 | 54.00 |
| | | | |
| AMORPHA canescens | | Le | adplant |
| 18 to 24 in | .50 | 4.50 | 33.00 |
| 2 to 3 ft | .60 | 5.00 | |
| | | | |
| fruticosa | | Indi | gobush |
| 2 to 3 ft | .45 | | |
| 3 to 4 ft | .50 | 4.00 | 36.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | |
| 17171 | | | |
| ARALIA pentaphylla—See ACANTE | IOPAI | NAX ab | ove |
| | | | |
| 1 - 0 - 2 - 1 - 1 - 1 - 1 - 1 | - | | |
| ARONIA arbutifolia | | Red Chol | |
| 2 to 3 ft | .60 | 5.50 | 50.00 |
| 2 to 3 ft | .60 .70 | 5.50 6.50 | |
| 2 to 3 ft | .60 | 5.50 | 50.00 |
| 2 to 3 ft | .60 .70 .90 | 5.50 6.50 8.00 | 50.00 60.00 |
| 2 to 3 ft | .60 .70 .90 | 5.50 6.50 | 50.00 60.00 |
| 2 to 3 ft | .60 .70 .90 | 5.50 6.50 8.00 ack Chol | 50.00 60.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> | 5.50 6.50 8.00 ack Chol 5.40 | 50.00 60.00 keberry 45.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> | 5.50 6.50 8.00 ack Chol 5.40 6.00 | 50.00 60.00 keberry 45.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> | 5.50 6.50 8.00 ack Chol 5.40 6.00 | 50.00 60.00 <i>iceberry</i> 45.00 51.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 | 5.50 6.50 8.00 ack Chol 5.40 6.00 | 50.00 60.00 <i>iceberry</i> 45.00 51.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 | 5.50 6.50 8.00 ack Chol 5.40 6.00 Sweet 18.00 | 50.00 60.00 <i>keberry</i> 45.00 51.00 <i>Azalea</i> 160.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 | 5.50 6.50 8.00 ack Chol 5.40 6.00 Sweet 18.00 22.00 | 50.00 60.00 <i>keberry</i> 45.00 51.00 <i>Azalea</i> 160.00 210.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bld</i> .60 .75 | 5.50 6.50 8.00 wek Chol 5.40 6.00 Sweet 18.00 22.00 27.00 | 50.00 60.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 2.00 2.50 3.00 4.00 | 5.50 6.50 8.00 5.40 6.00 Sweet 18.00 22.00 27.00 38.00 | 50.00 60.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 2.00 2.50 3.00 4.00 | 5.50 6.50 8.00 5.40 6.00 Sweet 18.00 22.00 27.00 38.00 48.00 | 50.00 60.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 2.00 2.50 3.00 4.00 | 5.50 6.50 8.00 5.40 6.00 Sweet 18.00 22.00 27.00 38.00 48.00 | 50.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 350.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 2.00 2.50 3.00 4.00 5.00 | 5.50 6.50 8.00 5.40 6.00 Sweet 18.00 22.00 27.00 38.00 48.00 | 50.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 350.00 |
| 2 to 3 ft | .60 .70 .90 <i>Bla</i> .60 .75 2.00 2.50 3.00 4.00 5.00 | 5.50 6.50 8.00 5.40 6.00 Sweet 18.00 22.00 27.00 38.00 48.00 Flame 18.00 | 50.00 60.00 45.00 51.00 Azalea 160.00 210.00 240.00 350.00 Azalea 175.00 |

| | *************** | HILISHER HERENAN | DOCUMENT OF STREET |
|-----------------------------------|-----------------|------------------|--------------------|
| AZALEA—continued | Each | Per 10 1 | Per 100 |
| | | | |
| canescens | | Gray | Azalea |
| | \$2.50 | | |
| 18 to 24 in. B&B | 2.75 | | |
| 2 to 2½ ft. B&B | 3.25 | | |
| 2½ to 3 ft. B&B | 4.00 | | |
| | | | |
| dahuricum Dah | urian | Rhodod | ondron |
| | | | CIEGI OIS |
| 18 to 24 in. B&B | 4.00 | 36.00 | |
| 2 to $2\frac{1}{2}$ ft. B&B | 4.50 | | |
| 2½ to 3 ft. B&B | 5.00 | | |
| 3 to 3½ ft. B&B | 6.00 | | |
| $3\frac{1}{2}$ to 4 ft. B&B | 8.00 | 75.00 | |
| | | | |
| dahur. sempervirens Evergreen Dah | ıurian | Rhodod | endron |
| 2 to 2½ ft. B&B | 4.50 | | |
| 2½ to 3 ft. B&B | 5.00 | | |
| 22 to 3 it. b&b | 3.00 | | |
| kaempferi | | Torch | Azalea |
| | | | Mande |
| 15 to 18 in. B&B | 3.00 | 27.00 | |
| 18 to 24 in. B&B | 3.50 | 33.00 | |
| 2 to 2½ ft. B&B | 4.50 | 42.00 | |
| 2½ to 3 ft. B&B | 6.00 | 57.00 | |
| 3 to $3\frac{1}{2}$ ft. B&B | 7.50 | | |
| 3½ to 4 ft. B&B | 10.00 | | |
| | | | |
| mollis | 1 | la panese | Azalea |
| 12 to 15 in. B&B | 2.50 | 22.50 | |
| | | | |
| 15 to 18 in. B&B | 3.00 | 27.00 | 250.00 |
| 18 to 24 in. B&B | 3.50 | 33.00 | 300.00 |
| 2 to 2½ ft. B&B | 4.00 | 38.00 | |
| 2½ to 3 ft. B&B | 5.00 | | |
| | | | |
| | orean | Rhodod | endron |
| 15 to 18 in. B&B | 3.00 | 27.00 | |
| 18 to 24 in. B&B | 3.50 | 32.00 | |
| 2½ to 3 ft. B&B | 5.00 | 02.00 | |
| az to o it. Dabii | 0.00 | | |
| nudiflora | | Pinxter | rbloom |
| | 2 25 | | 000000 |
| 15 to 18 in. B&B | 2.25 | 21.00 | |
| 18 to 24 in. B&B | 2.75 | 25.00 | |
| 2 to 2½ ft. B&B | 3.25 | 30.00 | |
| 2½ to 3 ft. B&B | 4.00 | | |
| | | | |
| poukhanense | | Korean | Azalea |
| 15 to 18 in. B&B | 3.50 | 33.00 | 300.00 |
| 18 to 24 in. B&B | 4.50 | 42.00 | |
| 2 to 2½ ft. B&B | 5.50 | | |
| | 0.00 | | |
| schlippenbachi | | Royal | Azalea |
| | £ 00 | | |
| 15 in. B&B | 5.00 | | |
| 18 in. B&B | 6.00 | | |
| | | | |

| Witness State of the Control of the State of | | 1200001 (12101211 0000) 10001 | |
|--|-------------|-------------------------------|----------|
| AZALEA—continued | Each | Per 10 | Per 100 |
| vaseyi | F | inksheli | Azalea |
| 15 to 18 in. B&B | \$3.00 | 27.00 | 250.00 |
| 18 to 24 in. B&B | 4.00 | 38.00 | |
| 2 to 2½ ft. B&B | 5.00 | | |
| viscosa | | Swamp | Azalea |
| 18 to 24 in. B&B | 2.25 | 20.00 | 180.00 |
| 2 to 2½ ft. B&B | 2.75 | 25.00 | 225.00 |
| 2½ to 3 ft. B&B | 3.50 | 32.00 | 270.00 |
| 3 to 4 ft. B&B | 4.25 | 40.00 | 360.00 |
| 4 to 5 ft. B&B | 5.00 | 45.00 | |
| yodogawa | Y | odogawa | Azalea |
| 18 to 24 in. B&B | 3.00 | 27.50 | |
| BERBERIS thunbergi | T ar | anese B | arherry |
| 12 to 15 in. bushy | .20 | 1.50 | |
| 15 to 18 in. bushy | .25 | 2.00 | 12.00 |
| 18 to 24 in. bushy | .35 | 2.50 | |
| 2 to 2½ ft. bushy | .50 | 4.00 | |
| | | | |
| | | anese B | |
| New, very fine, approved by U. S | | | |
| 2 yr | 1.25 | 11.50 | 100.00 |
| vulgaris | | opean B | arberry |
| 2 to 3 ft | .50 | | |
| 3 to 4 ft | .60 | | |
| BUDDLEIA davidi veitchi | | Butterf | ly Bush |
| 2 yrs | .50 | | |
| CALYCANTHUS floridus | Comn | non Swe | etshrub |
| 18 to 24 in | .50 | 4.50 | |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.50 | |
| | | | |
| CARAGANA arborescens | | Siber | ian Pea |
| 5 to 6 ft | 1.00 | | |
| 6 to 8 ft | 1.50 | 12.50 | |
| CEANOTHUS americanus | | Tor | sey-Tea |
| | 60 | | scy-1 cu |
| 18 to 24 in | .60 .75 | 5.50 | |
| 2 to 3 it | ./3 | | |
| CHIONANTHUS virginica—see und | ler Tre | es | |
| CLETHRA alnifolia | | Summ | ersweet |
| 18 to 24 in | .50 | 4.50 | |
| 2 to 3 ft | .60 | 5.00 | |
| | | | |

| कामकार भारतको स्थापसामा । । । । । । । । । । । । । । । । । । | *************************************** | 66391000611660116001FT+291 | 311140111111111111111111111111111111111 |
|---|---|----------------------------|---|
| | Each | Per 10 | Per 100 |
| CORNUS alba (siberica) | | tarian Da | gwood |
| 3 to 4 ft | \$.50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 48.00 |
| amomum (sericea) | | Silky Do | gwood |
| 2 to 3 ft | .50 | 4.50 | 36.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .70 | | |
| 5 to 6 ft | .80 | 7.00 | |
| 6 to 8 ft | 1.00 | 9.00 | 72.00 |
| paniculata | | Gray Do | gwood |
| 2 to 3 ft | .50 | 4.00 | 33.00 |
| 3 to 4 ft. bushy | .60 | 5.00 | 45.00 |
| 4 to 5 ft | .75 | 6.00 | |
| sanguinea | Bloo | dtwig Do | gwood |
| 5 to 6 ft | | | |
| 6 to 8 ft | 1.00 | 8.50 | |
| stolonifera flaviramea | Golde | ntwig Do | gwood |
| 2 to 3 ft | | 4.00 | |
| 3 to 4 ft | .60 | | |
| | | | |
| WILSON'S CHINESE CO | TONE | EASTE | RS |
| Few recent additions to the | e hort | iculture | of |
| America have met with as much | popula | rity as ha | ve |
| the CHINESE COTONEASTEI | RS int | roduced | by |
| Mr. E. H. ("Chinese") Wilson, | Asst. | Director | of |
| Arnold Arboretum, and famous | | | |
| plorer. These shrubs are all valu | able fo | r their p | ro- |
| fusion of flowers and fruits an | d som | e for th | eir |
| glossy, semi-persistent leaves. W | e take | pleasure | in |
| offering the following species to | | | |
| ciate new and valuable plants. | | | |
| | 77 1 | D 76.3 | 700 |
| COTONEASTER acutifolia villosula | | Per 10 1 | Per 100 |
| Red Flowers, Black Fruit | | ing Coto | nonetor |
| 2 to 3 ft | | 7.00 | i cusi el |
| 3 to 4 ft | | 9.00 | |

3 to 4 ft..... 1.00 9.00 4 to 5 ft..... 1.25 11.00 5 to 6 ft..... 1.50 ambigua-Red Flowers, Black Fruit 18 to 24 in..... 5.00 .60 .75 2 to 3 ft..... 3 to 4 ft..... 1.00

| | Vilmorin Cotoneaster |
|-------------|----------------------|
| 18 to 24 in | .75 |
| 2 4- 2 54 | 1.00 |

bullata floribunda-Red Flowers and Fruit

2 to 3 ft..... 3 to 4 ft..... 1.25

| | Each | | Per 100 |
|------------------------------|----------|-----------|----------|
| dielsiana—Red Flowers and F | | | |
| | | iels Coto | neaster |
| 15 to 18 in | \$.75 | | |
| 18 to 24 in | 1.00 | | |
| divaricata-Red Flowers and F | rnit—Ext | ra fine | |
| divaricata recarrowers and r | | ing Cote | nagetor |
| 15 to 18 in | _ | ing Con | nieusiei |
| | | | |
| 18 to 24 in | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | | |
| 4 to 5 ft | 1.50 | | |
| foveolata-Red Flowers, Black | Fruit | | |
| 2 to 3 ft | 75 | 6.50 | |
| 3 to 4 ft | | 9.00 | |
| 4 to 5 ft | | 11.00 | |
| | | | |
| horizontalis | | ock Coto | |
| 6 to 9 in., 3-inch pots | 80 | 7.00 | 60.00 |
| microphylla | | Ro | ckspray |
| 9 to 12 in., 4-inch pots | 1.00 | 9.00 | |
| moupinensis-Red Flowers, Bl | | | |
| moupinensis—Iteu Trowers, Dr | | pin Coto | monetor |
| 3 to 4 ft | | piii Coic | neuster |
| 4 to 5 ft | | | |
| | | 10.00 | |
| 5 to 6 ft | | 10.00 | |
| racimiflora soongorica-White | Flowers, | Red Fru | uit |
| 18 to 24 in | 1.00 | | |
| zabelli-Red Flowers and Frui | t | | |
| 2 to 3 ft | 1.00 | 9.00 | |
| 3 to 4 ft | | 7.00 | |
| J 10 4 11 | | | |
| CYDONIA japonica | | owering | Quince |
| 18 to 24 in | 65 | 5.50 | 45.00 |
| 2 to 3 ft | 75 | 6.50 | 55.00 |
| DEUTZIA gracilis | 5 | Slender i | Deutzia |
| 12 to 15 in | 50 | 4.50 | 36.00 |
| 15 to 18 in | | | 45.00 |
| | | | |
| lemoinei | | emoine l | Jeutzia |
| 18 to 24 in | | 4.50 | |
| 2 to 3 ft | 60 | 5.50 | |
| scabra candidissima | Sno | wflake l | Deutzia |
| 3 to 4 ft | 50 | 4.00 | |
| 4 to 5 ft | | 5.00 | 45.00 |
| 5 to 6 ft | | 6.00 | 55.00 |
| | ,, | | |
| s. crenata | | Fuzzy l | |
| 3 to 4 ft | | 4.00 | 33.00 |
| 4 to 5 ft | 60 | 5.00 | |
| s. pride of rochester | Prie | de of Ro | chester |
| 3 to 4 ft | 50 | 4.00 | 33.00 |
| 4 to 5 ft | | 5.00 | 45.00 |
| 5 to 6 ft | | | |
| 5 to 0 zum | | | |

| AND COLOR OF THE PROPERTY OF T | | | |
|--|-------------|-----------|----------------|
| DEUTZIA—continued | Each | Per 10 | Per 100 |
| s. watereri | 1 | Waterer . | Deutzia |
| 2 to 3 ft | \$.50 | 4.00 | 24.00 |
| 3 to 4 ft | | 5.00 | 33.00 |
| 4 to 5 ft | .75 | 6.00 | 45.00 |
| DIERVILLA—Also see WEIGELA | | | |
| | orn Ru | sh Hone | venckla |
| 2 to 3 ft. bushy | .50 | sit Hone | Jacine |
| 3 to 4 ft | .60 | | |
| ELEAGNUS longipes | (| Cherry E | leagnus |
| 18 to 24 in | .90 | | |
| 2 to 3 ft | 1.00 | | |
| EUONYMUS alatus | Wi | nged Eu | ony mus |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 2.00 | 18.00 | |
| 4 to 5 ft | 2.50 | 24.00 | |
| americanus | В | rook Eu | onymus |
| 2 to 3 ft | .60 | 5.00 | |
| bungeanus N | , interb | erry Eu | onymus |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| 4 to 5 ft | 1.00 | 8.00 | 75.00 |
| 5 to 6 ft | 1.25 | 11.00 | 90.00 |
| | _ | an Burni | ingbush |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | |
| 4 to 5 ft | 1.00 | 9.00 | |
| 5 to 6 ft | 1.25 | | |
| yedoensis | | eddo Eu | onymus |
| 18 to 24 in | .65 | | |
| 2 to 3 ft | .75 | 7.00 | |
| EXOCHORDA grandiflora | Com | mon Pea | rl Bush |
| 2 to 3 ft | .65 | 5.50 | 50.00 |
| 3 to 4 ft | .75 | 7.00 | 65.00 |
| 4 to 5 ft | .90 | 8.00 | |
| 5 to 6 ft | 1.25 | | |
| FORSYTHIA intermedia | | order Fo | • |
| 2 to 3 ft | | 4.00 | |
| 3 to 4 ft | .50 | 4.50 | 36.00 |
| suspensa | | eping Fo | rsythia |
| 2 to 3 ft | .50 | 4.50 | |
| 3 to 4 ft | .60 | 5.50 | |
| 4 to 5 ft | .70 | | |
| susp. fortunei | Fo | rtune Fo | rsythia |
| 3 to 4 ft | .50 | 4.00 | 36.00 |
| 4 to 5 ft | .60 | 5.00 | |

| | | | ammamaman |
|---------------------------------|---------|------------|-----------|
| FORSYTHIA—continued | Each | Per 10 1 | Per 100 |
| viridissima | Gree | nstem Fo | rsvthia |
| 2 to 3 ft. bushy | | 3.30 | 27.00 |
| 3 to 4 ft. bushy | | 4.00 | 30.00 |
| 5 to 4 It. bushy | .50 | 4.00 | 30.00 |
| HALESIA tetraptera | | Great Sil | verbell |
| 2 to 3 ft | .75 | 6.50 | |
| 3 to 4 ft | 1.00 | 9.00 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 1.50 | 12.50 | |
| 6 to 8 ft | 2.00 | 18.00 | |
| | | | |
| | | on Witch | -Hazel |
| 2 to 3 ft | .60 | 5.50 | 51.00 |
| 3 to 4 ft | .75 | 6.50 | 60.00 |
| HIBISCUS syriacus | | Shruh | -althea |
| varieues. | | | avviivou |
| Anemonaeflorus—Single rose, dar | | er. | |
| Boule de Feu—Semi-double, viole | | | |
| Duchesse de Brabant—Double pir | ık. | | |
| Jeanne d'Arc—Double white, stre | ong gr | ower. | |
| Lady Stanley-Double, blush whi | | | |
| Totus albus—Single pure white. | · | | |
| 3 to 4 ft | .75 | 7.00 | |
| | | | |
| HYDRANGEA arborescens | | ooth Hyd | rangea |
| 2 to 3 ft | .50 | 4.50 | |
| 3 to 4 ft | .60 | | |
| arborescens grandiflora | Snow | hill Hyd | rangea |
| 18 to 24 in | .60 | 5.00 | 45.00 |
| 2 to 3 ft | .75 | 6.50 | 60.00 |
| bretschneideri | Sh | aggy Hyd | randoa |
| 18 to 24 in | .50 | iggy IIyu | rungeu |
| | | | |
| 2 to 3 ft | .60 | | |
| paniculata (type) | Par | iicle Hyd | rangea |
| 18 to 24 in | .50 | 4.50 | |
| 2 to 3 ft | .65 | 6.00 | |
| paniculata grandiflora | H_{V} | drangea l | Peegee |
| 18 to 24 in | .60 | 5.00 | 45.00 |
| 2 to 3 ft | .75 | 6.50 | 60.00 |
| 3 to 4 ft | .90 | 8.00 | 00.00 |
| | | | |
| quercifolia | | leaf Hyd | rangea |
| 2 to 3 ft | 1.00 | | |
| HYPERICUM aureum | Golde | en St. Joh | nswort |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .75 | | |
| kalmianum | K | alm Hyp | ericum |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | 54.00 |
| | | | |
| | | y St. Joh | nswort |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.00 | 54.00 |
| 4 to 5 ft | .90 | 8.00 | |

| | 27 1 | TD 707 | D 700 |
|---|---|--|---|
| ****** | | Per 10 1 | |
| ILEX verticillata | | on Winte | • |
| 2 to 3 ft | . \$.00 | 5.50 | 48.00 |
| LIGUSTRUM amurense | | Amur | Privet |
| 2 to 3 ft | 40 | 2.70 | 18.00 |
| 3 to 4 ft | 50 | 3.50 | 24.00 |
| 91 10 | | 77 7. | n · . |
| ibolium | .1 1 . | Ibolium | |
| A new desirable type combining fornia Privet with the hardiness | of the | uty of th Thota Pri | ivet |
| 2 to 3 ft | | 3.00 | |
| | | - | |
| ibota | | | Privet |
| 2 to 3 ft | | 3.00 | |
| 3 to 4 ft | 50 | 4.00 | 27.00 |
| ibota regelianum—true spreading | form | Regei | Privet |
| 18 to 24 in. spread | | 4.00 | 33.00 |
| 2 to 2½ ft. spread | | 5.00 | 36.00 |
| 2½ to 3 ft. spread | | 6.00 | 40.00 |
| | | | |
| ovalifolium | | Californio | |
| Our California Privet is extra | quality, | three ar | nd four |
| year transplanted stock. Bushy—heavy root masses. | tops—a | 10 13 D | ranches |
| 18 to 24 in | 20 | 1.50 | 10.00 |
| 2 to 3 ft | | 1.80 | 12.00 |
| | | | |
| LONICERA fragrantissima | | ter Hone | уѕискіе |
| 2 to 3 ft | | | |
| | 50 | | |
| maacki podocarpa | | ate Hon e ; | ysuckle |
| | Le | ate Hone | ysuckle |
| maacki podocarpa | . 1.00 | ate Hone | ysuckle |
| maacki podocarpa 4 to 5 ft | . 1.00 . 1.25 | ate Hone | ysuckle |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft | Lo . 1.00 . 1.25 . 1.50 | | |
| maacki podocarpa 4 to 5 ft | Lo. 1.00 . 1.25 . 1.50 | ow Hone | |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft | Lo. 1.00 . 1.25 . 1.50 Morro | ow Hones 4.20 | |
| maacki podocarpa 4 to 5 ft | Le. 1.00 . 1.25 . 1.50 Morre50 60 | ow Hone 4.20 5.00 | ysuckle |
| maacki podocarpa 4 to 5 ft | 1.00 1.25 1.50 Morro5060 | ow Hone 4.20 5.00 an Hone | ysuckle ysuckle |
| maacki podocarpa 4 to 5 ft | Lo. 1.00 . 1.25 . 1.50 Morro5060 | ow Hone 4.20 5.00 an Hone 4.20 | ysuckle ysuckle |
| maacki podocarpa 4 to 5 ft | Lo. 1.00 . 1.25 . 1.50 Morro5060 | ow Hone 4.20 5.00 an Hone | ysuckle ysuckle |
| maacki podocarpa 4 to 5 ft | Lo. 1.00 1.25 1.50 Morro 50 60 unchuri 60 60 | ow Honey 4.20 5.00 an Honey 4.20 5.00 | ysuckle ysuckle 33.00 |
| maacki podocarpa 4 to 5 ft | Lo. 1.00 1.25 1.50 Morro 50 60 unchuri 50 60 Tatari | ow Hone 4.20 5.00 an Hone 4.20 | ysuckle ysuckle 33.00 |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft ruprechtiana 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft | Lo. 1.00 1.25 1.50 Morro 50 60 unchuri 60 Tatari 745 | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 | ysuckle ysuckle 33.00 ysuckle |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft ruprechtiana 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft 3 to 4 ft 3 to 4 ft | Lo. 1.00 1.25 1.50 Morro 50 60 unchuri 50 60 Tatari 45 50 | 9w Honey 4.20 5.00 an Honey 4.20 5.00 an Honey 3.60 | ysuckle 33.00 ysuckle 27.00 |
| maacki podocarpa 4 to 5 ft | Lec. 1.00 1.25 1.50 Morre 50 60 Unchuri 50 60 Tatari 50 60 | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 |
| maacki podocarpa 4 to 5 ft | Le. 1.00 1.25 1.50 Morre5060 unchuri5060 Tatari455060 | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 |
| maacki podocarpa 4 to 5 ft | Le. 1.00 1.25 1.50 Morre 50 60 Tatari 45 50 60 Tatari 50 50 60 | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft 3 to 4 ft 4 to 5 ft tat. alba 3 to 4 ft 4 to 5 ft white 3 to 4 ft 4 to 5 ft | Le. 1.00 1.25 1.50 Morre 50 60 Tatari 45 50 60 Tatari 50 60 Tatari 65 60 Tatari 65 60 60 Tatari | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 |
| maacki podocarpa 4 to 5 ft | Le. 1.00 1.25 1.50 Morre 50 60 Tatari 45 50 60 Tatari 50 60 Tatari 65 60 Tatari 65 60 60 Tatari | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft 3 to 4 ft 4 to 5 ft tat. alba White 3 to 4 ft 4 to 5 ft tat. of ft 5 to 6 ft | La. 1.00 . 1.25 . 1.50 Morra5060 Tatari45506060606075 | ow Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 3.60 4.00 5.00 | ysuckle 33.00 ysuckle 27.00 37.50 ysuckle 33.00 |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft 3 to 4 ft 4 to 5 ft tat. alba | La. 1.00 . 1.25 . 1.50 Morra5060 unchuri5060 Tatari4550606075 ink Bri | 20w Honey 4.20 5.00 an Honey 4.20 5.00 an Honey 3.60 4.00 5.00 an Honey 4.00 5.00 6.50 | ysuckle 33.00 ysuckle 27.00 37.50 ysuckle 33.00 |
| maacki podocarpa 4 to 5 ft 5 to 6 ft 6 to 8 ft morrowi—true spreading 2 to 3 ft 3 to 4 ft 4 to 5 ft tatarica 2 to 3 ft 3 to 4 ft 4 to 5 ft tat. alba | La. 1.00 . 1.25 . 1.50 Morra5060 unchuri5060 Tatari4550606075 ink Bri | an Hone; 4.20 5.00 an Hone; 4.20 5.00 an Hone; 4.00 5.00 6.50 de Hone; | ysuckle 33.00 ysuckle 27.00 37.50 ysuckle 33.00 |

| CRADOCHDISTRISTONIA CONTROLLES DE CONTROLLES | 31e11111 e1341 ccc 131 | *************************************** | | *************************************** |
|--|------------------------|---|-----------|---|
| LONICERA—continued | | Each | Per 10 1 | Per 100 |
| tat. siberica (rubra) | Red | Tatari | an Hones | encklo |
| 2 to 3 ft | 2000 | \$ 50 | un IIOnoj | Jucine |
| 3 to 4 ft | | | 5.00 | |
| | | | | |
| | | | ly Honey | suckle |
| 2 to 3 ft | | | | |
| 3 to 4 ft | | | | |
| 4 to 5 ft | • • • • • | .75 | | |
| MYRICA carolinensis | | No | rthern Bo | whorry |
| 12 to 15 in | | | 4.50 | |
| 15 to 18 in | | | 5.00 | |
| 13 to 10 m | •••• | .00 | 5.00 | -15.00 |
| PHILADELPHUS coronarius | | Sw | eet Mock | orange |
| 3 to 4 ft | | .50 | 4.00 | 33.00 |
| 4 to 5 ft | | .60 | 5.00 | 39.00 |
| 5 to 6 ft | | .70 | 6.00 | 45.00 |
| | | | | |
| cor. aureus | | | len Mock | orange |
| 18 to 24 in | • • • • • | .90 | 8.00 | |
| gordonianus | | Gord | on Mock | orange |
| 3 to 4 ft | | .50 | | |
| 4 to 5 ft | | .60 | 5.00 | 39.00 |
| 5 to 6 ft | | | 6.00 | |
| | | | | |
| grandiflorus | Big | Scentl | ess Mock | orange |
| 3 to 4 ft | | .50 | 4.00 | 33.00 |
| 4 to 5 ft | | .60 | 5.00 | 39.00 |
| 5 to 6 ft | | .70 | 6.00 | |
| | | | | |
| HYBRID MOC | KOF | RANG | ES | |
| Mt. Blanc | | Each | Per 10 1 | Per 100 |
| 18 to 24 in | | | 4.50 | |
| 2 to 3 ft | | - | | |
| 2 00 0 10000000000000000000000000000000 | | | | |
| Virginal | | | | |
| 18 to 24 in | | .80 | 7.50 | |
| 2 to 3 ft | • • • • • | 1.00 | 9.00 | |
| Zeyheri | | Zeyl | ier Mock | orange |
| 2 to 3 ft | | - | 6.50 | |
| 3 to 4 ft | | | | |
| | | | | |
| PHYSOCARPUS opulifolia | | | nmon Ni | nebark |
| 5 to 6 ft | | .75 | 6.00 | |
| 6 to 8 ft | | .90 | 7.50 | |
| opul. aurea | | Co | ldleaf Ni | nohark |
| 3 to 4 ft | | .50 | wocuj 140 | voou n |
| 6 to 8 ft | | 1.00 | | |
| | | | | |
| PRUNUS glandulosa rosea Do | | Pinkflo | wering A | lmond |
| 18 to 24 in | | .90 | 8.50 | |
| 2 to 3 ft | | 1.00 | 9.00 | |
| | | | | |

| 34 WIMAN'S FRAMINGHAM | NUR | | *************************************** |
|--------------------------------|------------|------------|---|
| PRUNUS—continued | Each | Per 10 | Per 100 |
| maritima | | Beac | h Plum |
| 2 to 3 ft | \$.50 | 4.50 | |
| 3 to 4 ft | .60 | 5.00 | |
| 4 to 5 ft | .75 | | |
| triloba | 1 | Flowerin | g Plum |
| 2 to 3 ft | .90 | | |
| 3 to 4 ft | 1.00 | | |
| trichostyla sinensis Double Wh | | _ | llmond |
| 2 to 3 ft | 1.00 | 9.00 | |
| PYRUS—See ARONIA | 1.20 | | |
| RHAMNUS caroliniana | Care | olina Buo | kthorn |
| 4 to 5 ft | .60 | 5.00 | ALILOI IS |
| 5 to 6 ft | .70 | 6.00 | |
| 6 to 7 ft | .80 | 7.00 | |
| cathartica | Com | non Bud | kthorn |
| 2 to 3 ft | .40 | 3.60 | 33.00 |
| 3 to 4 ft | .50 | 4.00 | 36.00 |
| 4 to 5 ft | .60 | 5.00 | 39.00 |
| 5 to 6 ft | .70 | | |
| RHODORA canadensis | | R | hodora |
| 12 to 15 in. B&B | 1.60 | 15.00 | 135.00 |
| RHODOTYPOS kerrioides | | J | etbead |
| 18 to 24 in | .60 | 5.00 | 48.00 |
| 2 to 3 ft | .75 | 6.50 | |
| RHUS canadensis | | Fragrant | Sumac |
| 18 to 24 in | .65 | 6.00 | |
| copallina | | Shining | Sumac |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .70 | | |
| cotinus | Com | mon Smo | ketree |
| 2 to 3 ft | .90 | | |
| 3 to 4 ft | 1.25 | | |
| glabra | | Smooth | Sumac |
| 4 to 5 ft | .60 | | |
| 5 to 6 ft | .75 .90 | | |
| typhina | | Staghorn | Sumaa |
| 4 to 5 ft | .60 | iugiioi ii | Sumuc |
| 5 to 6 ft | .75 | | |
| 6 to 8 ft | .90 | | |
| typh. laciniati Cut | leaf S | taghorn | Sumac |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .70 | | |
| ROBINIA hispida | | Rose | Acacia |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .75 | | |

| | Each | Per 10 P | er 100 |
|----------------------|------------|---------------------|----------------|
| ROSA blanda | | Meador | v Rose |
| 18 to 24 in | | 4.00 | |
| 2 to 3 ft | .50 | 4.50 | |
| 3 to 4 ft | .60 | 5.00 | |
| hugonis | | Hugoni | s Rose |
| 2 yr | 1.50 | 12.50 | |
| | | | D |
| multiflora japonica | 4 == | Japanes | |
| 2 to 3 ft | .45 .50 | 3.30 4.00 | 24.00 30.00 |
| 3 to 4 ft | .60 | 4.80 | 30.00 |
| | .00 | | |
| palustris (carolina) | | Swam | |
| 18 to 24 in | .45 | 4.00 | |
| 2 to 3 ft | .50 | 4.50 | 42.00 |
| 3 to 4 ft | .60 | 5.00 | 47.00 |
| rubiginosa | | Swee | etbriar |
| 3 to 4 ft | .60 | | |
| 4 to 5 ft | .75 | | |
| 5 to 6 ft | 1.00 | | |
| rubrifolia | | Redlea | |
| 2 to 3 ft | .60 | | 51.00 |
| 3 to 4 ft | .75 | 7.00 | |
| rugosa | | Rugos | a Rose |
| 18 to 24 in | .50 | 4.50 | 33.00 |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .90 | | |
| rugosa alba | Whi | te Rugos | a Rose |
| 18 to 24 in | .55 | 5.00 | |
| 2 to 3 ft | .65 | | |
| setigera | | Prairi | o Poso |
| 2 to 3 ft | .45 | 4.00 | e mose |
| 3 to 4 ft | .50 | 4.50 | |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| wichuraiana | | Vichuria: | |
| 2 yrs | .50 | 4.00 | t Rose |
| 3 yrs | .60 | 5.00 | 42.00 |
| 3 yıs | .00 | 3.00 | 72.00 |
| RUBUS odoratus | Flowe | ring Ras | pberry |
| 2 to 3 ft | .50 | 4.00 | |
| SAMBUCUS canadensis | | 4merican | Elder |
| 3 to 4 ft | | 5.00 | |
| 4 to 5 ft | .70 | 6.00 | 45.00 |
| 5 to 6 ft | .80 | 7.00 | 45.00 |
| 6 to 7 ft | 1.00 | 9.00 | |
| | | | |
| SORBARIA aitchisoni | | nir Fals e - | Spirea |
| 4 to 5 ft | .60 | | |
| 5 to 6 ft | .80 | | |
| 6 to 7 ft | 1.00 | 9.00 | |

| | Each | Don 10 | Per 100 |
|--|--------|--------------|---------------|
| SPIRAEA arguta | Басп | | l Spirea |
| 2 to 3 ft. bushy | \$.50 | 4.50 | D D p ii C ii |
| 3 to 4 ft. bushy | .60 | 5.00 | |
| 4 to 5 ft. bushy | .65 | 5.50 | |
| 5 to 6 ft. bushy | .75 | 6.50 | 50.00 |
| bumalda | | Rumald | a Spirea |
| 15 to 18 in | .50 | 4.50 | a opulou |
| 18 to 24 in | .60 | 5.00 | |
| bum. anthony waterer A | nthony | Watere | r Spirea |
| 15 to 18 in | .45 | 4.00 | |
| 18 to 24 in | .50 | 4.50 | 36.00 |
| froebelli | | Frobe | l Spirea |
| 2 to 3 ft | .50 | | |
| japonica (callosa) | | I ananos | e Spirea |
| 15 to 18 in | .50 | 4.00 | Съриса |
| 18 to 24 in | .60 | 5.00 | |
| | 71:40 | | Spirea |
| 15 to 18 in | .45 | 3.60 | 27.00 |
| 18 to 24 in | .50 | 4.20 | 36.00 |
| opulifolia (See PHYSOCARPUS) | .50 | 1.20 | 50.00 |
| superba | | String | d Spirea |
| 18 to 24 in | .50 | 4.50 | л Бри са |
| 2 to 2½ ft | .60 | 5.00 | |
| sorbifolia—See SORBARIA | | | |
| | 7 | humbon | a Sminoa |
| thunbergi 18 to 24 in. bushy | .50 | 4.50 | g Spirea |
| 2 to 3 ft. bushy | .60 | 5.00 | |
| 3 to 4 ft | .70 | 6.00 | |
| vanhouttei | | | e Spirea |
| 2 to 3 ft | .45 | 4.00 | 27.00 |
| 3 to 4 ft | .50 | 4.50 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| SYMPHORICARPOS chenaulti | | | |
| | which | | |
| A new variety of Symphoricarpos we offer for the first time. | | | |
| 2 to 3 ft | 1.00 | 9.00 | _ |
| racemosus | | mon Sno | |
| 18 to 24 in | .40 | 3.60 4.00 | 30.00 |
| 2 to 3 ft | .50 | | 36.00 |
| vulgaris | 50 | 4.00 | alberry |
| 2 to 3 ft | .50 | | 27.00 |
| SYRINGA josikaea | | Tungari | |
| 2 to 3 ft. bushy | .75 | 6.50 | 60.00 |
| 3 to 4 ft. bushy | .90 | 8.50 | 75.00 |
| 4 to 5 ft | 1.25 | 11.00 | T 17 |
| chinensis (rothomagensis) | 1.00 | Chine | se Lilac |
| 2 to 3 ft | 1.00 | | |
| J 10 4 II | 1.25 | | |

| SYRINGA—continued | | Per 10 1 | |
|----------------------------------|---------|----------|---------|
| villosa | | | e Lilac |
| 2 to 3 ft | ¢ 75 | | 60.00 |
| 3 to 4 ft | | 8.50 | 75.00 |
| 4 to 5 ft | | 11.00 | 75.00 |
| vulgaris | | Commo | n Lilac |
| 2 to 3 ft | 75 | 7.00 | 66.00 |
| 3 to 4 ft | 1.00 | 9.00 | |
| vulgaris alba | Comn | non Whit | e Lilac |
| 2 to 3 ft | 75 | 7.00 | 66.00 |
| 3 to 4 ft | 1.00 | 9.00 | |
| HYBRID LIL. Named varietie | | | |
| | | | |
| Abel Carriere—Double, pink to | | lilac | |
| 2 to 3 ft | . 1.25 | | |
| Alphonse Lavellee-Double, large | e, pale | lavender | |
| 2 to 3 ft | | 11.00 | |
| 3 to 4 ft | 1.50 | | |
| Bleuatre-Single, deep pure blue | | | |
| 2 to 3 ft | 1.25 | 11.00 | |
| Charles Baltet-Single, bluish pu | rple | | |
| 2 to 3 ft | 1.25 | 11.00 | |
| Charles Joly—Double, dark red | | | |
| 2 to 3 ft | . 1.25 | | |
| 3 to 4 ft | . 1.50 | | |
| Charles The Tenth-Single, redd | ish pur | ple | |
| 2 to 3 ft | | | |
| 3 to 4 ft | . 1.50 | | |
| Condorcet—Double, pale blue | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | . 1.50 | | |
| 4 to 5 ft | . 2.00 | | |
| Congo-Single, dark red | | | |
| 2 to 3 ft | . 1.25 | | |
| 3 to 4 ft | . 1.50 | | |
| Dr. Maillot-Double, lavender to | pale b | lue | |
| 2 to 3 ft | | 11.00 | |
| 3 to 4 ft | . 1.50 | | |
| Frau Bertha Dammann-Single, | | | |
| 2 to 3 ft | . 1.25 | | |

3 to 4 ft..... 1.50

| 4300 Millian III III III III III III III III III I | 162510110110110E001 | MINNSHIP THE THE | *************************************** |
|--|---------------------|------------------|---|
| SYRINGA-Hybrid Lilacs-continue | d | | |
| · · | | Per 10 | Per 100 |
| Jean Bart-Double, bright to pale | reddi | sh purpl | e |
| 2 to 3 ft | | | |
| 3 to 4 ft | 1.50 | | |
| | | | |
| Jeanne d'Arc-Double, white | | | |
| 2 to 3 ft | 1.25 | | |
| Leon Simon—Double, lavender | | | |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 1.50 | | |
| 5 60 4 16 | 1.50 | | |
| Ludwig Spaeth-Single, dark red | | | |
| 2 to 3 ft | 1.25 | | |
| | | | |
| Michel Buchner-Double, pink to | | | |
| 2 to 3 ft | 1.25 | 11.00 | |
| 3 to 4 ft | 1.50 | | |
| Mme. Abel Chatenay-Double, wh | ite | | |
| 2 to 3 ft | 1.25 | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 2.00 | | |
| | | | |
| Mme. Lemoine—Double, white | | | |
| 2 to 3 ft | 1.25 | | |
| President Carnot-Double, light | ninki | sh buds | open. |
| pale blue | To a | | , |
| 2 to 3 ft | 1.25 | 11.00 | |
| 3 to 4 ft | 1.50 | 14.00 | |
| D 1 1 25 1 Ct 1 | , | | |
| Rubra de Marley—Single, rosy pur | | 11.00 | |
| 2 to 3 ft | 1.25 | 11.00 | |
| Senateur Volland-Double, bright | pink ! | buds, op | en deli- |
| cate pinkish lilac | | | |
| 2 to 3 ft | 1.25 | | |
| | | | |
| William Robinson-Double. Pet | als r | eddish o | outside, |
| blue to lilac inside | | | |
| 2 to 3 ft | 1.25 | 11.00 | |
| 3 to 4 ft | 1.50 | | |
| | | | |
| VACCINIUM corymbosum | High | bush Blu | ieberry |
| 18 to 24 in | 1.00 | | |
| 2 to 3 ft | 1.20 | | |
| | | | |
| VIBURNUM americanum Ame | | | rybush |
| 2 to 3 ft | .65 | 6.00 | |
| cassinoides | | Wit | he Rod |
| 2 to 3 ft | .60 | 5.00 | |
| 3 to 4 ft | .75 | 6.50 | 55.00 |
| | | 3.00 | 03.00 |

| | *************************************** | | 111111111111111111111111111111111111111 |
|---|---|--------------|---|
| VIBURNUM—continued | T7 7 | T) 10 1 | 700 |
| dentatum | Each | | v-wood |
| 2 to 3 ft | ¢ 60 | 5.00 | |
| 3 to 4 ft | | 6.50 | |
| 4 to 5 ft | • • • • | 8.00 | 33.00 |
| | | TUT t | m |
| lantana | | Wayfarin | |
| 2 to 3 ft | .60 .75 | 5.50 6.50 | 48.00 |
| 3 to 4 it | ./3 | 0.50 | |
| lentago | | Nann | yberry |
| 3 to 4 ft | .75 | 6.50 | 54.00 |
| 4 to 5 ft | .80 | 7.00 | 60.00 |
| 5 to 6 ft | 1.00 | 8.00 | 70.00 |
| 6 to 8 ft | 1.50 | 12.50 | |
| molle | Kent | ucky Vib | urnum |
| 5 to 6 ft | 1.75 | | |
| 6 to 8 ft | 2.00 | | |
| opulus Eu | ropean | Cranber | rvbush |
| 2 to 3 ft | .65 | | , |
| | | ~ | |
| op. sterile | | ımon Sn | owball |
| 18 to 24 in | .65 | 5.50 | |
| 2 to 3 ft | .75 | 6.50 | |
| prunifolium | | Bla | ckhaw |
| 2 to 3 ft | .75 | | |
| 3 to 4 ft | .90 | | |
| 4 to 5 ft | 1.25 | | |
| sieboldi | Sie | bold Vib | urnum |
| 18 to 24 in | .50 | 4.50 | |
| 2 to 3 ft | .60 | | |
| 3 to 4 ft | .75 | | |
| tomentosum plicatum | Jap | anese Sn | owball |
| 2 to 3 ft | .90 | | |
| | | | |
| WEIGELA eva rathke | | Rathke W | eigela |
| 18 to 24 in | .60 .75 | 5.50 7.00 | |
| 2 to 3 ft | ./3 | | |
| rosea | | Pink W | eigela |
| 2 to 3 ft | .50 | 4.50 | 36.00 |
| 3 to 4 ft | .60 | 5.00 | |
| r. variegata | Vari | egated W | eigela |
| 18 to 24 in | .50 | 4.50 | |
| Z A NUMBER DE LITERA DE LA LICERA DELICA DE LA LICERA DE | | 77 11 | ъ. |
| ZANTHORRHIZA apiifolia | | | v Root |
| 15 to 18 in | .50 | 4.50 | |

VINES AND CLIMBERS

| A CHITATELY A | Each | Per 10 | |
|----------------------------------|--------|------------|---------|
| ACTINIDIA arguta 2 yrs | \$1.00 | 8.50 | tinidia |
| AKEBIA quinata | | Fiveleaf . | Akobia |
| | | | |
| 2 yrs | | 5.50 | |
| 3 yrs | .75 | 6.50 | 60.00 |
| AMPELOPSIS quinquefolia | | 'irginia (| Treeper |
| 2 yrs | | | |
| 3 yrs | .40 | 3.50 | 27.00 |
| quinq. engelmanni | Eng | elmann (| reeper |
| 2 yrs | .35 | 3.00 | |
| 3 yrs | .40 | 3.50 | 27.00 |
| tricuspidata (veitchi) | J | apanese (| reeper |
| 2 yrs., from pots | .60 | 5.50 | 50.00 |
| 3 yrs., from pots | .75 | 7.00 | 60.00 |
| ARISTOLOCHIA sipho | | Dutchme | ın Pipe |
| 3 yrs., heavy | 2.00 | 18.00 | |
| 4 yrs., heavy | 2.50 | 22.50 | |
| 5 yrs., extra heavy | 3.00 | | |
| BIGNONIA radicans | 2 | Trumpeto | теерег |
| 2 yrs | .45 | 4.00 | |
| 3 yrs | .50 | 4.00 | |
| CELASTRUS orbiculatus (articulat | us) | | |
| | | ntal Bitte | ersweet |
| 2 yrs | | 3.00 | 24.00 |
| 3 yrs | .50 | 4.00 | 30.00 |
| 4 yrs | .60 | 5.00 | 36.00 |
| scandens (Roxbury Wax-work) | Ameri | ican Bitte | ersweet |
| 2 yrs | | 3.00 | 24.00 |
| 3 yrs | .50 | 4.00 | 30.00 |
| 4 yrs | .60 | 5.00 | 36.00 |
| 5 yrs | .75 | 6.00 | 45.00 |
| CLEMATIS paniculata Sa | weet A | utumn Cl | lematis |
| 2 yrs | .50 | 4.00 | 27.00 |
| 3 yrs | | 5.00 | 36.00 |
| virginiana | | Virgins | Bower |
| 3 yrs | .60 | | |
| | | | |

CLEMATIS HYBRIDS

Large-flowering varieties.

Strong plants grown in pots.

2 yrs. \$1.50 each, \$12.50 per 10.

Henryi-Creamy white.

Jackmanni-Purple.

Mme. Baron Veillard-Soft pink.

Ramona-Light blue.

| | | Per 10 F | |
|----------------------------------|--------|-----------------|----------|
| LONICERA japonica halleana | He | all Honey | suckle |
| LONICERA japonica halleana 3 yrs | \$.50 | 3.60 | 24.00 |
| j. aureo reticulata Yellownet | lanana | ea Honor | enckla |
| 4 yrs | | 4.00 | suchte |
| 4 yrs | .50 | 4.00 | |
| sempervirens | Trump | et Honey | rsuckle |
| 2 yrs | .40 | 3.00 | |
| 3 yrs | .50 | 4.20 | 39.00 |
| INCITIVE 1: | . , | | T/* |
| | | <i>latrimon</i> | - |
| 2 yrs | .40 | | 20.00 |
| 3 yrs | .50 | 4.00 | 24.00 |
| 4 yrs | .60 | 4.80 | 33.00 |
| | | | |
| TECOMA—See BIGNONIA | | | |
| VITIS coignetiae | | Cla | ryvine |
| | .75 | | ryvine |
| 3 yrs | ./3 | 0.00 | |
| WISTERIA frutescens magnifica | YeL | loweye W | 'isteria |
| 2 yrs | | 5.00 | 1010111 |
| | | | |
| multijuga | _ | cluster W | 'isteria |
| 2 yrs | .75 | 6.00 | |
| 3 yrs | 1.00 | 8.00 | |
| sinensis | C | hinese W | 'isteria |
| 2 yrs | .60 | 5.00 | |
| 3 yrs | .75 | 6.00 | 50.00 |
| 4 yrs | 1.00 | 8.00 | |
| 2 yrs. grafted | 1.00 | 8.50 | |
| s. alba | hite C | Thinese W | isteria |
| 2 yrs | | 5.00 | |
| 3 yrs | .75 | 6.50 | |
| 4 yrs | | 8.00 | |
| venusta | | Silky W | Tieteri- |
| 2 yrs | .75 | • | 50.00 |
| • | 1.00 | 8.00 | |
| 3 yrs | 1.00 | 8.00 | 70.00 |

4 yrs..... 1.25 11.00

HARDY ROSES

Strong field grown plants, \$1.00 each for less than 5 of one kind; 5 or more of one kind at \$9.00 for 10.

If we are out of the variety ordered, we shall select the variety most closely resembling it UNLESS OTHERWISE ADVISED.

Our list of Roses, while not long, has been carefully selected to include those varieties of finest type which succeed best in this rugged climate.

HYBRID PERPETUAL ROSES

Frau Carl Druschki-Large pure white.

Gen. Jacqueminot-Bright scarlet-crimson. Fragrant.

Mme. Gabriel Luizet—Light silvery pink. Slightly fragrant.
Mrs. John Laing—Large, soft pink, fragrant and steady bloomer.

Mrs. R. G. Sharman-Crawford—Large, deep rosy pink, fragrant.

Paul Neyron-Deep rose, very large, fragrant.

Persian Yellow-The old-fashioned yellow rose. Fragrant.

Prince Camille de Rohan—Deep velvety crimson, pleasing fragrance.

Ulrich Brunner-Cherry-crimson, large, fragrant.

HYBRID TEA ROSES

While somewhat less hardy than the preceding group, this class of roses is desirable for its delicate rare colors and fragrance. We list only the best sorts for severe northern conditions.

Columbia-Bright pink, sweet scented.

Francis Scott Key—Crimson, very large and double, slightly fragrant.

Gen. MacArthur-Deep velvety scarlet, very fragrant.

Gorgeous-Yellow, flushed with copper.

Gruss an Teplitz—Clear crimson-scarlet, intensely fragrant. Vigorous.

Hadley-Bright red, fragrant.

Kaiserin Auguste Viktoria-Soft creamy white, fragrant.

Killarney Queen-Deep shell pink, long pointed buds.

Killarney White-Pure white, long pointed buds.

Los Angeles—Luminous flame pink, toned coral. Fragrant.

Mme. Caroline Testout-Large satiny pink. Fairly fragrant.

Mme. Edouard Herriott—Coral-red, shaded with yellow and bright rosy scarlet.

Mrs. Aaron Ward—Indian-yellow, pinkish fawn when full. Fragrant.

Ophelia—Creamy pink and pale pink bloom, very fragrant. Radiance—Flowers very large, light silvery pink to salmonpink.

Red Radiance—Deep rose-red. Foliage excellent.

Sunburst-Bright glowing orange. Fragrant.

POLYANTHAS

Baby Dorothy-Pink.

Erna Teschendorf-Bright red, semi-double flowers.

Jessie-Glowing crimson flower with a white eye.

Katherine Zeimet—Large clusters of pure white, double, small flowers.

Mme. Cecil Brunner—Double, bright rose flowers. Fragrant.Mrs. W. H. Cutbush—Medium-sized, rosy pink blooms.Very free bloomer.

HYBRID RUGOSA ROSES

Strong field grown plants, \$1.00 each for less than 5 of a kind; 5 or more of a kind at \$9.00 per 10.

Conrad F. Meyer—Deep silvery rose, large, double, fragrant. F. J. Grootendorst—Beautiful small red flowers in clusters. Sir Thomas Lipton—Double pure white.

CLIMBING ROSES

Strong field grown plants. 75c each; \$6.00 per 10.

American Pillar-Cherry pink, white eye, yellow stamens.

Crimson Rambler-Deep crimson flowers.

Dorothy Perkins—Shell pink flowers, glossy foliage, slightly fragrant.

Dorothy Perkins White—Similar to Dorothy Perkins, but white.

Dr. Van Fleet-Deep flesh pink, large flowers, glossy foliage.

Gardenia—Bright yellow in bud, opening cream color. Paul's Scarlet Climber—Vivid scarlet, semi-double.

Purity-Semi-double, pure white, large, foliage glossy.

Silver Moon—Creamy buds, flowers white, large, semi-double.

Tausendschon—Large trusses of pink blossoms, very double. White Rambler.

Yellow Rambler.

OUR NATIVE WILD ROSES AND OTHER ROSE SPECIES

We grow a full line of this desirable class of Roses. They are listed on page 35.

HERBACEOUS PERENNIALS

Nearly all the sorts herein listed are strong field-grown plants. The only exceptions are a few sorts which trans-plant better when grown in pots; also some of the new and rare varieties.

Varieties marked with an asterisk (*) are particularly suitable for the rock garden.

Terms and conditions are the same as specified on page 3 of the regular list.

NOTE. ON PERENNIALS ONLY, 25 or more plants of one kind are priced at the hundred rate, wherever a hundred rate is given.

| · · | | | |
|------------------------------------|--------|--------------|-------------------|
| ACHILLEA | Each | | Per 100 Yarrow |
| ptarmica—"The Pearl" | \$.25 | 2.20 | 15.00 |
| p. Perry White | .30 | 2.40 | 18.00 |
| *tomentosa | .25 | 2.20 | 15.00 |
| ACONITUM | | Mon | kshood |
| autumnale | .50 | 4.00 | |
| napellus, Aconite | .35 | 2.70 | 24.00 |
| n. Sparks Aconite | .35 | 3.00 | 25.00 |
| AGROSTEMMA (See LYCHNIS) | | | |
| AJUGA | | Genev | a Bugle |
| *genevensis | .30 | 2.40 | |
| ALTHAEA rosea | | Ho | llyhock |
| Double varieties-Pink, red, white, | 0.5 | | 4 7 00 |
| yellow | .25 | 2.20 | 15.00 |
| yellow | .25 | 2.20 | 15.00 |
| Alleghany | .25 | 2.20 | 15.00 |
| ALYSSUM | | 2 | 4lyssum |
| *argenteum—Silver Alyssum | .25 | 2.20 | |
| *saxatile compactum—Goldentuft | .25 | 2.20 | 15.00 |
| AMSONIA | T. | illow 2 | 1msonia |
| tabernaemontana | .30 | 2.40 | 18.00 |
| ANCHUSA | | | Bugloss |
| italica | .25 | 2.00 | |
| i. dropmore—Bugloss | .30 | 2.40 | |
| sempervirens—Evergreen | .30 | 2.40 | 18.00 |
| ANEMONE | | | nemone |
| japonica rubra | | 2.40 | |
| j. alba | | 2.40 | |
| j. elegantissima | | 2.50 2.40 | |
| j. Lady Ardilaun | | 2.40 | |
| j. Mt. Rose | | 2.50 | |
| j. Queen Charlotte | | 2.40 | |
| j. rosea superba | | 2.40 | |
| j. Whirlwind | | 2.40 | |
| ANTHEMIS | | Che | amomile |
| tinctoria, yellow | 25 | 2.20 | 15.00 |
| | | | |

| | Each | Per 10 | Per 100 |
|--|------------|--------|---------|
| AQUILEGIA | | Colu | mbine |
| caerulea | \$.30 | 2.40 | 18.00 |
| c. alba | .25 | 2.20 | 15.00 |
| chrysantha | .30 | 2.40 | 18.00 |
| flabellata nana alba | .25 | 2.20 | 15.00 |
| formosa truncata (californica) | .25 | 2.20 | 15.00 |
| vulgaris | .25 | 2.20 | 15.00 |
| v. alba | .25 | 2.20 | 15.00 |
| v. flore plena alba | .25 | 2.20 | 15.00 |
| ARABIS | | Rod | ckcress |
| albida | .30 | 2.40 | 18.00 |
| | | | |
| ARMERIA | | Sec | ı Pink |
| *cephalotes rubra | .30 | 2.40 | 18.00 |
| *formosa rosea | .25 | 2.20 | 15.00 |
| *maritima | .25 | 2.20 | 15.00 |
| ARTEMISIÄ | | T. | ****** |
| | | | rragon |
| dracunculus | .25 | 2.20 | 15.00 |
| lactiflora | .30 | 2.40 | 18.00 |
| ASCLEPIAS | | Mil | kweed |
| | .30 | 2.40 | 18.00 |
| tuberosa—Butterfly Weed | .35 | 3.00 | 24.00 |
| tuberosa—Butterny Weed | .55 | 3.00 | 24.00 |
| ASTER | | | Aster |
| Dwarf Alpine Ast | ers | | |
| alpinus | .25 | 2.20 | 15.00 |
| Dark Beauty | .25 | 2.20 | 15.00 |
| himalaicus | .25 | 2.20 | 15.00 |
| | | | |
| Hardy Fall Flower | ring | | |
| acris | .25 | 2.20 | 15.00 |
| novae-angliae | .25 | 2.20 | 15.00 |
| nov, ang. roseus | .25 | 2.20 | 15.00 |
| ptarmicoides | .25 | 2.20 | 15.00 |
| Snowflake | .25 | 2.20 | 15.00 |
| tataricus | .25 | 2.20 | 15.00 |
| T. S. Ware | .25 | 2.20 | 15.00 |
| Choice Varietie | 9 | | |
| | | 2,40 | 18.00 |
| Climax—Light lavender—blue Feltham—Blue with yellow center. | .30 .30 | 2.40 | 18.00 |
| Japanese—Double white | .30 | 2.40 | 16.00 |
| St. Egwyn—Bright pink | .30 | 2.40 | 18.00 |
| St. Dgwyn Dight phik | .00 | 2.40 | 10.00 |
| ASTILBE | False | | Beard |
| chinensis | .30 | 2.50 | 20.00 |
| Peach Blossom | .50 | 4.00 | |
| Queen Alexandra | .40 | 3.50 | 24.00 |
| Rose Pearl—shell pink | .40 | 3.50 | 30.00 |
| Vesta—Lilac rose | .40 | 3.50 | 30.00 |
| W. E. Gladstone | .50 | 4.00 | 30.00 |
| AUBRIETIA | | An | brietia |
| *deltoidea | 20 | | 18.00 |
| rdeitoidea | .30 | 2.40 | 18.00 |
| BAPTISIA | | Wild | Indigo |
| australis | .25 | 2.20 | 15.00 |
| | 120 | | |
| BOLTONIA | | В | oltonia |
| asteroides | .25 | 2.20 | 15.00 |
| lastisquama | .25 | 2.20 | 15.00 |
| lat. nana | .30 | 2.40 | 18.00 |
| | | | |

| ERRORITERING CONTROL C | P9+ (20228P9+23001631 | P95090412077943629416446294 | 131 3 3 5 C 1 0 1 3 C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
|--|-----------------------|-----------------------------|---|
| | Each | Per 10 | Par 100 |
| 0.4.000 4.0000 4 | Dath | | |
| CAMPANULA | | | lflower |
| *carpatica | \$.30 | 2.40 | 18.00 |
| *car. alba | .30 | 2.40 | 18.00 |
| glomerata | .30 | 2.40 | |
| medium-Pink, Blue, White and | | | |
| mixed | .30 | 2.40 | 18.00 |
| m. calycanthema — Pink, Blue, | | 2 | 20.00 |
| White and mixed | .30 | 2.40 | 18.00 |
| | | | |
| persicifolia | .30 | 2.40 | 18.00 |
| per. var. alba | .30 | 2.40 | 18.00 |
| *rotundifolia-Blue Bells of Scot- | | | |
| land or Hare Bell | .30 | 2.40 | 18.00 |
| | | | |
| CACCTA | | TP7:7.1 | · C |
| CASSIA | | w ua | Senna |
| marilandica | .30 | 2.40 | 18.00 |
| | | | |
| CENTRATIDEA | | - 0 | |
| CENTAUREA | | Cen | itaurea |
| dealbata | .30 | 2.40 | 18.00 |
| macrocephala | .30 | 2.40 | 18.00 |
| montana-Perennial Corn Flower. | .25 | 2.20 | 15.00 |
| montana referma com riower. | .20 | 2.20 | 15.00 |
| | | | |
| CERASTIUM | | Cer | astium |
| *bierbersteini | .30 | 2.40 | 18.00 |
| *tomentosum—Snow in Summer | .25 | 2.20 | |
| -tomentosum—snow in summer | .23 | 2.20 | 15.00 |
| | | | |
| *CERATOSTIGMA | | Plu | mbago |
| plumbagionoides | .30 | 2,40 | |
| parabagionorado tittitititi | | 2 | 20,00 |
| | | | |
| CHELONE | | Turt | lehead |
| glabra | .30 | 2.40 | 18.00 |
| lyoni | .30 | 2,40 | 18.00 |
| , | | | |
| CONTROL SIMPSON FREE F | | | |
| CHRYSANTHEMUM | | | |
| Hardy Named Varieties (Those | | | |
| marked with (LF) are the | | | |
| large flowering varieties.) | | | |
| Aberdeen—Bright maroon | .30 | 2.40 | 18.00 |
| Autumn Glow—Rose crimson | 0 | 2.40 | 10.00 |
| | 20 | 2.40 | 10.00 |
| (LF) | .30 | 2.40 | 18.00 |
| Boston-Golden bronze | .30 | 2.40 | 18.00 |
| Brutus-Old Gold | .30 | 2.40 | 18.00 |
| Eve—Dwarf, deep pink (LF) | .30 | 2.40 | 18.00 |
| Field of Snow—Pure white (LF) | .30 | 2.40 | 18.00 |
| Golden Pheasant—Orange yellow | .30 | 2.40 | 18.00 |
| James Boone—Large white | .30 | 2.40 | 18.00 |
| Julie Lagravere—Large velvety | | 2.10 | 20.00 |
| maroon | .30 | 2.40 | 18.00 |
| Old Homestead Dink (LE) | .30 | | |
| Old Homestead—Pink (LF) | | 2.40 | 18.00 |
| Ruby Queen—Dark ruby-red | .30 | 2.40 | 18.00 |
| Skibo—Yellow button | .30 | 2.40 | 18.00 |
| Victory—White (LF) | .30 | 2.40 | 18.00 |
| Viola—Violet pink | .30 | 2.40 | 18.00 |
| *arcticum | .30 | 2.40 | 18.00 |
| leucanthemum hybridum (Shasta | | | |
| Daisy) | .25 | 2.20 | 15.00 |
| maximum | .25 | 2.40 | 15.00 |
| | .25 | 2.20 | 15.00 |
| uliginosum | .25 | 2.20 | 13.00 |
| | | | |
| CIMICIFUGA | Co | ohosh Bu | gbane |
| racemosa | .35 | 3.00 | 20.00 |
| | .,, | | |

| | Each | | Per 100 |
|--|------------|--------------|----------------|
| CONVALLARIA | Lily | | Valley |
| majalis—clumps | \$.50 | 4.50 | 40.00 |
| majalis—strong pips | .15 | 1.00 | 7.50 |
| COREOPSIS | | Co | reopsis |
| delphinifolia | .25 | 2.20 | 15.00 |
| grandiflora | .25 | 2.20 | 15.00 |
| verticillata | .25 | 2.20 | 15.00 |
| CYNANCHUM | | Mosqu | ito-trap |
| acuminatifolium | .30 | | 18.00 |
| DAHLIAS | | | |
| There are so many sorts of Dahlias | and th | he grow | ing |
| of Dahlias has become so specialize | d that | we do | not |
| carry them in stock. However, | when c | lesired, | we |
| shall be glad to quote on your nee | ds for | Dahlias | as |
| carry them in stock. However, shall be glad to quote on your nee we have access to one of the larger | st and | most co | m- |
| plete stocks in the country. | | | |
| DELPHINIUM | H | ardy L | arkspur |
| Hybrid varieties | | • | |
| Amos Perry | .90 | 7.50 | |
| J. C. Jenkins | .90 | 7.50 | |
| King of Delphiniums | .90 | 7.50 | |
| Langport Glory | .90 | 7.50 | |
| Mrs. James Kelway | .90 .90 | 7.50 7.50 | |
| Rosenlust Smoke of War Star of Langport | .90 | 7.50 | |
| Star of Language | .90 | 7.50 | |
| True Blue | .90 | 7.50 | |
| Gold Medal hybrids | .30 | 2.40 | 18.00 |
| belladonna—light blue | .30 | 2.40 | 18.00 |
| bellamosum—the dark blue form of | | | |
| belladonna | .30 | 2.40 | 18.00 |
| grandiflorum chinensis | .30 | 2.40 | 18.00 |
| grand. chinensis alba | .30 | 2.40 | 18.00 |
| grand. chin. azureaelatum | .30 | 2.40 | 18.00 |
| elatum formosum | .30 | 2.40 | 18.00 18.00 |
| f. coelestinum. | .30 | 2.40 | 18.00 |
| | .00 | 2.10 | |
| DIANTHUS | | | Pinks |
| barbatus — Sweet William — Pink, | 25 | 2.20 | 15.00 |
| red, and whiteb. Newport Pink | .25 .30 | 2.20 | 15.00 18.00 |
| b. Scarlet Beauty | .30 | 2.40 | 18.00 |
| *deltoides—Maiden Pink | .30 | 2.40 | 18.00 |
| *d. alba | .30 | 2.40 | 18.00 |
| *d. albaScotch or Garden pink | .25 | 2.20 | 15.00 |
| | , | | |
| Hardy Garden Pir | .30 | 2.40 | 10.00 |
| Abbotsford—Crimson | .30 | 2.40 | 18.00 18.00 |
| *Carmen—light pink, fragrant Essex Witch—bright pink | .30 | 2.40 | 18.00 |
| Homer—dark red | .30 | 2.50 | 20.00 |
| Juliet—white | .30 | 2.40 | 18.00 |
| Juliet—white | .30 | 2.40 | 18.00 |
| White Reserve—everblooming pure | | | |
| white | .30 | 2.40 | 18.00 |
| Grenardin's Scarlet | .30 | 2.40 | 18.00 |
| Grenardin's White | .30 | 2.40 | 18.00 |
| DICENTRA | 1 | Bleedin | g Heart |
| evimes Fringed Bleeding Heart | 30 | 2.40 | 19.00 |

 eximea—Fringed Bleeding Heart..
 .30
 2.40
 18.00

 formosa
 .30
 2.40
 18.00

| 64-W-SHILLIAN CHEMICAL CHEMICA | (ALINE DE LE COLOR DE LE C | 111111111111111111111111111111111111111 | 4314441114411441144 |
|--|--|---|---------------------|
| | Each | Per 10 | Per 100 |
| DICTAMNUS | | | is Plant |
| albus | \$.40 | 3.50 | 25.00 |
| a. caucasicus | .40 | 3.50 | 25.00 |
| DICTUALIC | | 727 | |
| DIGITALIS | 20 | | oxglove |
| ambigua | .30 | 2.40 | 18.00 18.00 |
| roseumpurpurea—Common Foxglove | .30 | 2.40 2.40 | 18.00 |
| p. alba | .30 | 2.40 | 18.00 |
| p. gloxiniaeflora | .30 | 2.40 | 18.00 |
| p. grozimachora | .50 | 2.70 | 18.00 |
| ECHINACEA | Purpl | e Cone | Flower |
| purpurea | .30 | 2.40 | 18.00 |
| ERYNGIUM | | | Eryngo |
| alpinum | .30 | 2.40 | 18.00 |
| amethystinum | .30 | 2.40 | 18.00 |
| | .00 | | |
| EUPATORIUM | | | ıtorium |
| coelestinum—Mistflower | .30 | 2.50 | 20.00 |
| purpureum—Joe-Pye-Weed | .25 | 2.20 | 15.00 |
| EUPHORBIA | Flo | wering | Spurge |
| corrollata | .25 | 2.20 | 15.00 |
| FERNS | | Uand | y Ferns |
| *ADIANTUM pedatum—American | | 11 ara | rerns |
| Maidenhair Fern | .30 | 2.40 | 18.00 |
| ASPLENIUM platyneuron—Ebony | .50 | 2.40 | 10.00 |
| Spleenwort | .30 | 2,40 | 18.00 |
| *ATHYRIUM filixfemina—Lady | | 2.10 | 20.00 |
| Fern | .30 | 2.40 | 18.00 |
| CAMPTOSORUS rhizophyllus — | | | 20.00 |
| Walking Fern | .30 | 2,40 | 18.00 |
| *CRYTOGRAMMA arostichoides | | | |
| -American Rockbrake | .30 | 2.40 | 18.00 |
| *DENNSTEDTIA punctilobula — | | | |
| Hay-scented Fern | .30 | 2.40 | 18.00 |
| DRYOPTERIS goldiana — Goldie | | | |
| Fern | .30 | 2.40 | 18.00 |
| *D. marginalis-Leather Woodfern | .30 | 2.40 | 18.00 |
| D. spinulosa—Toothed Woodfern | .30 | 2.40 | 18.00 |
| ONOCLEA sensibilis — Sensitive | | | |
| Fern | .30 | 2.40 | 18.00 |
| OSMUNDA cinnamomea — Cinna- | 20 | 2.40 | 10.00 |
| mon Fern | .30 | 2.40 2.40 | 18.00 |
| O. regalis—Royal Fern | .30 | 2.40 | 18.00 |
| POLYPODIUM vulgare—Common | .30 | 2.40 | 18.00 |
| Polypody* *POLYSTICHUM acrostichoides— | .50 | 2.40 | 10.00 |
| Christmas Fern | .30 | 2.40 | 18.00 |
| PTERETIS nodulosa—Ostrich Fern | 30 | 2.40 | 18.00 |
| *WOODSIA ilvensis—Rusty Wood- | | 2 | 20.00 |
| sia | .30 | 2.40 | 18.00 |
| WOODWARDIA areolata—(angus- | | | |
| tifolia) Chainfern | .30 | 2.40 | 18.00 |
| | | | |
| FUNKIA (See HOSTA) | | | |
| GAILLARDIA | E | Blanket | Flower |
| aristata | .25 | 2.20 | |
| grandiflora | .25 | 2.20 | 15.00 |
| GALEGA | | C | oatsrue |
| officinalis hartlandi | .35 | 3.00 | Justue |
| | .55 | | |
| *GALIUM | | | dstraw |
| boreale | .30 | 2.40 | 18.00 |
| | | | |

| *GERANIUM | Each | Per 10 1 | |
|--|------------|--------------|------------------|
| grandiflorum | \$ 30 | 2.40 | nesbill 18.00 |
| sanguineum | .30 | 2.40 | 18.00 |
| GEUM | | | Avens |
| *atrococcinea var. Mrs. Bradshaw | .35 | 3.00 | 20.00 |
| | .55 | | |
| GLADIOLUS | | Swoi | rd Lily |
| Our list of Gladiolus is not long, but includes the very best varieties | | | |
| in an assortment of colors. | | | |
| America—Soft lavender-pink | | 1.00 | 8.00 |
| Baron J. Hulot—Rich violet | | 2.50 | 20.00 |
| Halley—Delicate salmon-pink | | 1.25 | 10.0C |
| Kunderd Glory — Creamy apricot | | | |
| with light tint of pink, crim- | | | |
| son stripe centering each petal, | | 2.00 | 15.00 |
| ruffled | | 2.50 | 20.00 |
| Mary Fennell - Light lavender, | | | |
| penciled with primrose yellow | | 3.00 | 25.00 |
| Mrs. Francis King—Beautiful flame | | 1.00 | 0.00 |
| pink | | 1.00 | 8.00 |
| rose pink with beautiful car- | | | |
| mine blotch | | 2.00 | 15.00 |
| Niagara—Delicate cream blending | | | |
| to canary yellow, throat | | | |
| splashed carmine | | 2.00 | 45.00 |
| Panama—Beautiful pale pink Prince of Wales—Beautiful light | | 2.00 | 15.00 |
| Salmon on orange shade | | 2.25 | 18.00 |
| War—Deep red of brilliant color | | 2.00 | 15.00 |
| | | | |
| | | | |
| PRIMULINUS HYB | RIDS | | |
| Alice Tiplady-Orange saffron | | 3.00 | 25.00 |
| Dorothy Wheeler - Richest rose | | | |
| pink with lighter throat | | 3.00 | 25.00 |
| Salmon Beauty—Deep salmon Sedan—Pale yellow | | 3.00 | 25.00 25.00 |
| | | 3.00 | 23.00 |
| GLYCERIA (See PANICULARIA) | | | |
| GYPSOPHILA | | Chall | k-Plant |
| acutifolia | .30 | 2.40 | 18.00 |
| paniculata—Baby's Breath | .30 | 2.40 | 18.00 |
| paniculata fl. pl | .40 | 3.50 | |
| HELENIUM | | Sneez | e Wort |
| autumnale | .30 | 2.40 | 18.00 |
| a. pumilum | .30 | 2.40 | 20.00 |
| a. pum. magnificum | .30 | 2.40 | 20.00 |
| a. Riverton Beauty | .30 .30 | 2.40 2.50 | 20.00 |
| a. rubrum | .35 | 3.00 | 24.00 |
| hoopesi | .35 | 3.00 | 18.00 |
| nudiflorum striatum | .30 | 2.40 | 18.00 |
| HELIANTHEMUM | | Sze | n Rose |
| chamaecistus tomentosum (angusti- | | Sui | 21036 |
| folium) | .30 | 2.40 | 18.00 |
| *hyssopifolium | .30 | 2.40 | 18.00 |
| *perfoliatum roseum* *multiflorum | .30 | 2.40 | 18.00 |
| TIMILITATION | .30 | 2.40 | 18.00 |

| STREET, WAS TREET, TO SHOW AND AND ADDRESS OF THE PROPERTY OF | | ****************************** | | HIIIIII BELLIAL 20 |
|---|--|--|---|--|
| | | Each | Per 10 | Per 100 |
| HELIANTHUS | | | | flower |
| decapetalus maximus | | \$.25 | 2.20 | 15.00 |
| mollis | | .25 | 2.20 | 15.00 |
| rigidus var. Miss Mellish | | .30 | 2.40 | 18.00 |
| r. var. Woolly Dodd | | .30 | 2.40 | 18.00 |
| HELIOPSIS | | | Ox-eye | Daise |
| helianthoides pitcheriana | | .30 | 2.40 | 18.00 |
| scabra | | .30 | 2.40 | 18.00 |
| | • • • • • | .50 | 2.40 | 10.00 |
| HEMEROCALLIS | | | Do | y Lily |
| aurantiaca—apricot | | .35 | | |
| flava—Lemon Daylily | | .35 | 3.00 | 21.00 |
| fulva—Tawny Daylily | | .25 | 2.20 | 15.00 |
| Gold Dust | | .30 | 2.40 | 18.00 |
| Orange Man | | .25 | 2.20 | 15.00 |
| HEUCHERA | | | Alun | n Root |
| *sanguinea | | .30 | 2.40 | 18.00 |
| s. alba | | .30 | 2.40 | 18.00 |
| *s. gracillima (gracilis rosea) | | .30 | 2.40 | 18.00 |
| | • • • • • | .00 | | |
| HIBISCUS | | | Roser | nallow |
| marvel mallows-Red, White, | Pink | | | |
| and Mixed | | .30 | 2.40 | 20.00 |
| moscheutos—Swamp Rose Ma | allow | .30 | 2.40 | 18.00 |
| HOSTA (Funkia) | | | Planta | in Lily |
| caerulea | | .30 | 2.40 | 18.00 |
| lancifolia | | .30 | 2.40 | 18.00 |
| l. undulata variegata | | .30 | 2.40 | 18.00 |
| ovata | | .30 | 2.40 | 18.00 |
| plantaginea grandiflora | | .50 | 4.50 | 39.00 |
| | | | | |
| HUMULUS | | | Commo | n Hon |
| HUMULUS lupulus | | .50 | Commo | on Hop |
| lupulus | | .50 | 4.00 | |
| lupulusIBERIS | | Everg | 4.00 reen Car | ndytuft |
| lupulus | | | 4.00 | |
| lupulusIBERIS | | Everg | 4.00 reen Car 2.40 | ndytuft 18.00 |
| lupulus | | Evergi .30 | 4.00 reen Car 2.40 Trump | ndytuft 18.00 et Vine |
| lupulus IBERIS sempervirens | | Everg | 4.00 reen Car 2.40 | ndytuft 18.00 |
| lupulus | | Evergo .30 | 4.00 reen Car 2.40 Trump | 18.00 et Vine 22.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi | | Evergo .30 | 4.00 reen Car 2.40 Trumpo 3.00 | 18.00 et Vine 22.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana | | Evergi .30 | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS | | Evergi .30 | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea | ndytuft 18.00 et Vine 22.00 f Inula |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, N | March | .30 .35 .35 | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in | March | Evergi .30 | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— | March | .30 .35 .30 .30 | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng | March Florid | .30 .35 .30 .30 | 4.00 reen Can 2.40 Trump 3.00 Villowlea 2.40 | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King | March Floric Lutes | .30 .35 .30 .50 .50 | 4.00 reen Car 2.40 Trumpo 3.00 illowlea 2.40 tatellae | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone | March Floric Lutes Miss | .30 .35 .30 .50 .50 da cens S'H. M. | 4.00 reen Can 2.40 Trump 3.00 Villowlea 2.40 | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- | March Floric Lutes Miss Nudic | .30 .35 .30 .50 da cens S H. M. caulis | 4.00 reen Car 2.40 Trumpo 3.00 illowlea 2.40 tatellae White | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata | March Floric Lutes Miss Nudic | .30 .35 .30 .50 da cens Si th. M. caulis | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- Maculata Citrea | March Florid Lutes Miss Nudio Orang Stray | .30 .35 .30 .50 da cens Si H. M. caulis ge Que in Flo | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- Maculata Citrea Delicata | March Florid Lutes Miss Nudio Orang Stray Sulph | .30 .35 .30 .50 .30 .50 .30 .30 .30 .30 .30 .30 .30 .30 .30 .3 | 4.00 reen Car 2.40 Trumpo 3.00 illowlea 2.40 tatellae White en rida | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata Citrea Delicata Germanica Named Varieties. | Florio Lutes Miss Nudio Orang Stray Sulph | .30 .35 .30 .50 .30 .30 .30 .30 .30 .30 .30 .30 .30 .3 | 4.00 reen Car 2.40 Trumpo 3.00 illowlea 2.40 tatellae White en rida 2.20 | ndytuft 18.00 et Vine 22.00 f Inula 18.00 |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo | Florid Lutes Miss Nudio Orang Stray Sulph | .30 .35 .30 .50 .50 .30 .50 .30 .30 .30 .30 .30 .30 .30 .30 .30 .3 | 4.00 reen Car 2.40 Trumpo 3.00 Fillowlea 2.40 tatellae White en rida 2.20 Fitt | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, Ito May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) | Floric Lutes Miss Nudio Orang Stray Sulph Johan Mme | .30 .35 .30 .50 da cens Si H. M. caulis ge Que in Flo iurea .30 n DeW. Chere | 4.00 reen Car 2.40 Trumpo 3.00 Villowlea 2.40 tatellae White en rida 2.20 Vitt eau | ndytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, Ito May, 6 to 9 in | March Lutes Miss Nudio Orang Stray Sulph Johan Mme Mrs. | .30 .35 W .30 .50 da cens S H. M. caulis ge Que in Flo iurea .30 n DeW . Cheri | 4.00 reen Car 2.40 Trumpo 3.00 Tillowlea 2.40 tatellae White en rida 2.20 Titt eau es Darwi | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, Ito May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) Charles Dickens Florentina Alba | Florio Lutes Miss Nudio Oranj Stray Sulph Mme Mrs. Purpl | .30 .35 .30 .50 .30 .50 .30 .30 .30 .30 .30 .30 .30 .30 .30 .3 | 4.00 reen Car 2.40 Trumpo 3.00 Tillowlea 2.40 tatellae White en rida 2.20 Titt eau es Darwi | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, Ito May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) Charles Dickens Florentina Alba Florentina Blue | Floric Lutes Miss Nuclio Orany Stray Sulph Mme Mrs. Purpl Rebee | .35 .30 .35 .30 .50 da cens Si H. M. caulis ge Que in Flo iurea .30 n DeW . Chere Charle e Kin | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en rida 2.20 fitt aau es Darwig g | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) Charles Dickens Florentina Alba Florentina Blue Garrick | Florid Lutes Miss Nudio Orang Stray Sulph Johan Mme Mrs. Purpl Rebee Sir R | .30 .35 .30 .30 .50 .4a .50 .50 .50 .50 .50 .50 .50 .50 .50 .50 | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en rida 2.20 fitt eau ess Darwig g Peel | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea— Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) Charles Dickens Florentina Alba Florentina Blue Garrick Gen. Grant | Florid Lutes Miss Nudio Orang Stray Sulph Johan Mme Mrs. Purpl Rebee Sir R | .35 .30 .35 .30 .50 da cens Si H. M. caulis ge Que in Flo iurea .30 n DeW . Chere Charle e Kin | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en rida 2.20 fitt eau ess Darwig g Peel | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |
| lupulus IBERIS sempervirens INCARVILLEA delavayi INULA salicana IRIS Alpine—Early flowering Iris, I to May, 6 to 9 in Varieties:— Balceng Blue King Bluestone Chameiris Aurea- Maculata Citrea Delicata Germanica Named Varieties. Admiral Togo Atroviolacea (Purple) Charles Dickens Florentina Alba Florentina Blue Garrick | Floric Lutes Miss Nudic Orang Stray Sulph Mme Mrs. Purpl Rebes Sir R William | .30 .35 .30 .30 .50 .4a .50 .50 .50 .50 .50 .50 .50 .50 .50 .50 | 4.00 reen Car 2.40 Trumpo 3.00 fillowlea 2.40 tatellae White en rida 2.20 fitt eau ess Darwig g Peel | adytuft 18.00 et Vine 22.00 f Inula 18.00 Iris |

| ton a mile manazi and on in the control of the cont | | | | |
|--|---|--------|----------------|----------------|
| | | Each | Per 10 | Per 100 |
| IRIS—continued | | 234012 | - 01 -0 - | . 01 100 |
| Kaempferi Named Va | rieties | \$.50 | 4.00 | 36.00 |
| Aspasie | Gold Bound | |)scar | |
| Babylon | Helen von Si | eholdt | Purnle Er | nneror |
| Blue Bird | Navy-Blue | I | enus | aperor |
| | Ondine | 7 | Villiam T | ell |
| | | | V 1111/0/111 A | |
| IRIS, MISCELLANEOU | | | | |
| *cristata | • | .30 | 2.40 | 18.00 |
| *cyanea—Deep blue. | T71 37-11 | .30 | 2.50 | 20.00 |
| pseudacorus—Water | Flag, Yellow, | .25 | 2 20 | 1 5 00 |
| May and June *pumila atroviolacea- | Manage and | | 2.20 2.50 | 15.00 |
| *p. var. Bride—Ivory | White | .30 | 2.50 | 20.00 |
| siberica | | .30 | 2.40 | 18.00 |
| s. alba | | .25 | 2.20 | 15.00 |
| s. orientalis Blue—Y | | .25 | 2.20 | 15.00 |
| | | | | |
| KNIPHOFIA | | | | rchlily |
| uvaria grandiflora | | | 2.40 | 18.00 |
| u. nobilis | | .30 | 2.40 | 18.00 |
| u. pfitzeriana | • • • • • • • • • • • • | .30 | 2.40 | 18.00 |
| LATHYRUS | | | | Pea |
| latifolius-Everlasting | Pea | .30 | 2.40 | 18.00 |
| Pink Pearl | | .30 | 2.40 | 18.00 |
| | | | | |
| LIATRIS | | | | feather |
| pycnostachya | | .30 | 2.40 | |
| spicata | • | .30 | 2.40 | 18.00 |
| LILIUM | | | | Lily |
| auratum-Gold Band. | | .50 | 4.00 | 30.00 |
| candidum—Madonna | | .40 | 3.50 | 30.00 |
| giganteum-Delicate | creamy white | .40 | 3.50 | 27.00 |
| speciosum album | | .40 | 3.50 | 30.00 |
| spec. rubrum | | .40 | 3.50 | 25.00 |
| superbum—Reddish o | | .30 | 2.40 | 20.00 |
| tigrinum fl. pl.—Tiger | lily | .35 | 3.00 | 25.00 |
| LIMONIUM | | | Sea La | mon dow |
| | | .30 | 2.40 | |
| athonum | | | | |
| LOBELIA | | | Cardinal . | |
| | | .30 | | |
| syphilitica—blue | | .30 | 2.40 | 18.00 |
| LUPINUS | | | | Lupin |
| polyphyllus | | .30 | 2,40 | 18.00 |
| p. albus | | .30 | 2.40 | 18.00 |
| moerheimi | | .30 | 2.50 | 20.00 |
| | | | | |
| LYCHNIS | | | | mpion |
| *alpina | | .30 | 2.40 | 20.00 |
| chalcedonica—Maltese | | .30 | 2.40 | 18.00 |
| coronaria | | .30 | 2.40 | 18.00 |
| viscaria splendens | | | 2.40 2.40 | 18.00 18.00 |
| v. splen. fl. pl | | .50 | 2.40 | 10.00 |
| LYSIMACHIA | | | | sestrife |
| cletheroides | | .30 | 2.40 | |
| nummularia—Moneyv | vort | .25 | 2.20 | 15.00 |
| IVTUDIM | | | r | ythrum |
| LYTHRUM | | .30 | 2.40 | 18.00 |
| alatum | | | 2.40 | 18.00 |
| salicaria roseum | | | 2.40 | 18.00 |
| Julicaria 103cuiii | | .00 | 2.10 | 10.00 |

| | III III III III III III III III III II | | ************************ |
|--|--|--------|--------------------------|
| | Each | Day 10 | Per 100 |
| MALVA | Each | | Mallow |
| moschata | \$.30 | 2.40 | 18.00 |
| m. alba | .30 | 2.40 | 18.00 |
| | | | |
| MENTHA | 25 | 2.20 | Mint |
| piperita | .25 | 2.20 | 15.00 |
| spicata—Spearmint | .30 | 2.40 | 18.00 |
| MERTENSIA | | | Bluebell |
| virginica | .30 | 2.40 | 18.00 |
| MONARDA | | Re | e Balm |
| didyma | .30 | 2.40 | 18.00 |
| MYOSOTIS | | E | |
| scorpioides semperflorens — perpet- | | rorget | -me-not |
| ual flowering | .25 | 2.20 | 15.00 |
| | .23 | 2.20 | |
| NEPETA | | | Catnip |
| mussini | .30 | 2.50 | 20.00 |
| OENOTHERA | | P | rimrose |
| fruticosa major | .30 | 2.40 | 18.00 |
| missouriensis | .30 | 2.40 | |
| youngi | .30 | 2.40 | 18.00 |
| PACHYSANDRA | 7. | panese | Spurgo |
| terminalis—from pots, 2 yrs | .25 | 1.80 | 14.00 |
| from pots, 3 yrs | .35 | 2.00 | 16.00 |
| | .00 | 2.00 | |
| PAEONIA | | | Peony |
| Albert Crousse — Large, compact | A1 PF | 6.00 | |
| rose—white, fragrant, late Alexander Dumas — Early, light | .75 | 6.00 | |
| violet rose | .75 | 6.00 | |
| Beauté Française — medium, pale | ./3 | 0.00 | |
| lilac rose | .75 | 6.00 | |
| Comte de Diesbache—early, dark | | 0.00 | |
| | .75 | 6.00 | |
| red | | | |
| with crimson spots | .75 | 6.00 | |
| Couronne d'Or-Large pure white | | | |
| with a circle of golden stamens | .75 | 6.00 | |
| Dr. Bretonneau-Large, pale lilac, | | | |
| inside white, mid-season, fra- | ~~ | | |
| grant | .75 | 6.00 | |
| Dr. Caillot—crimson flowers of | .75 | 6.00 | |
| good size, free bloomer Dorchester — semi-dwarf, delicate | .73 | 0.00 | |
| pink | .90 | 8.00 | |
| Duc de Cazes—early, dark pink | .75 | 6.00 | |
| Duchess de Nemours—white tinged | | 0.00 | |
| with yellow, fragrant | .90 | 8.00 | |
| Edouard Andre — satiny crimson | | | |
| maroon with rich golden center | .75 | 6.00 | |
| Edulis superba—early, soft pink | .75 | 6.00 | |
| Felix Crousse-medium, bright red, | | | |
| fragrant | 1.00 | 9.00 | |
| Festiva Maxima—early, pure white | | | |
| with crimson markings in the | カビ | 6 50 | 50.00 |
| center, strong grower, fragrant | .75 | 6.50 | 30.00 |
| Floral Treasure—Large strong pale lilac-rose, fragrant, midseason. | .75 | 6.00 | |
| François Ortegat—semidouble large | .,, | 0.00 | |
| purplish-crimson with brilliant | | | |
| golden vellow anthers | .75 | 5.00 | |
| Fulgida — medium size, rose-ma- | | | |
| genta with silver tips, late | .75 | 6.00 | |

| | Each | Per 10 | Per 100 |
|---|--------|----------|---------|
| PAEONIA—continued | | | |
| General Bertrand — early, bright | | | |
| pink | \$.75 | 6.00 | |
| Golden Harvest—medium size, pale lilac-rose, dwarf, fragrant, mid- | | | |
| season | .75 | 6.00 | |
| Humei — large cherrypink with | | | |
| silver tips, fragrant, very late | .75 | 6.00 | |
| Lady Bramwell — medium silvery pink | .75 | 6.00 | |
| La Sublime—crimson, fragrant | .75 | 5.00 | |
| La Tendresse — Large milk-white | | | |
| flower. Sometimes splashed | | | |
| with carmine. Tall, strong, free bloomer and fragrant | 1.00 | 9.00 | |
| La Tulipe—large, lilac-white, outer | 2.00 | 2.00 | |
| petals striped crimson, fra- | | | |
| grant, late | .75 | 6.00 | |
| Louis van Houtte—late, large dark variety, purple, none better | .90 | 8.00 | |
| Mme. Augusta Dessert — very | .90 | 0.00 | |
| beautiful soft pink. Very fine. | | | |
| Single | 2.00 | 18.00 | |
| Mme. de Verneville — very large | | | |
| and fragrant, pure white with center tinged with carmine | .90 | 8.00 | |
| Modeste Guerin — Large compact | .,, | 0.00 | |
| rose bloom, very fragrant | .90 | 8.00 | |
| Officinalis alba—blush white | .75 | 7.00 | |
| Officinalis rosea—pink | .75 | 7.00 | |
| deep crimson | 1.00 | 9.00 | |
| Queen Victoria — Large, outside | | | |
| white with pink tinge, inside | | | |
| cream white with crimson | クピ | 6.00 | |
| spots | .75 | 6.00 | |
| and salmon | .60 | 5.00 | |
| Solfatare—yellow | .90 | 8.00 | |
| Double Pink, Double red and | 50 | 4.00 | |
| Double white Single pink, Single red and Single | .50 | 4.00 | |
| white | 1.00 | 9.00 | |
| PANICULARIA | | Pibbo | n Grass |
| speciosum | .30 | 2.40 | 18.00 |
| variegata | .30 | 2.40 | 18.00 |
| PAPAVER | | Oriental | Ponny |
| orientale | .30 | 2.40 | |
| orientale hybrids, varieties | .35 | 3.00 | 20.00 |
| Goliath Mrs. Perry | | | |
| Oriflame | | | |
| Oriental King | | | |
| Queen Alexandra | | | |
| Royal Scarlet | | | |
| *nudicaule—Iceland Poppy, Orange, White and Yellow | .30 | 2,40 | 18.00 |
| PENTSTEMON | | | |
| diffusus | .30 | 2.40 | stemon |
| heterophyllus | .30 | 2.40 | 18.00 |
| torreyii | .30 | 2.40 | 18.00 |
| tubiflorus | .30 | 2.40 | 18.00 |

Each Per 10 Per 100 Phlox

PHLOX

paniculata syn. decussata:

Named varieties..... \$.30 2.40 18.00

Albion-medium white.

Annie Cook-Flesh pink.

Antonin Mercie-Very large pure white center, bordered clear lilac.

B. Comte-Deep red.

Baron van Dedem-Salmon red.

Beacon-Brilliant cherry red.

Bridesmaid-white, rose center.

Crepuscule—Shading from crimson centre through rose-lilac to a white edge.

Eclaireur-Carmine, salmon center.

Ettas Choice-Pure white.

Eugene Danzanvilliers-Lilac-blue, white center.

F. G. Von Lassburg-Pure white.

Europe - Snow white, carmine center.

General Chanzy - Scarlet-pink, tinted salmon.

Gruppenkoenigin — Flesh-colored, rose, with carmine eye.

Independence-Pure white.

Juliet-Light pink, dark red eye.

L'Espérance-Light, lavender-pink, white center. Soleil — Brilliant china-rose

center.

Mme. Meuret-Flame color, carmine center.

Mme. Paul Dutrie-Soft pink, suffused with white.
Mrs. Jenkins—Pure white, very

large truss.

Pantheon - Brilliant rose, very effective.

Peachblow - Delicate pink, rose

center.
Proffessor Verchow—Brilliant carmine overlaid with orangescarlet.

Queen-Pure white; late.

Richard Wallace - Pure white, violet-rose center.

P. Struthers-Bright, pinkish salmon, crimson eye. Rynstrom—Bright carmine rose.

Saison-Lierval-White, light pink center.

W. C. Egan-Very large flowers of delicate lilac with large bright solferino eye. The color effect as a whole is a pleasing shade of soft pink.

Widar-Bright reddish violet with

large white center.

| | Each | Per 10 1 | Per 100 |
|--|--|--|--|
| PHLOX—Choice varieties | | | |
| Elizabeth Campbell—Bright salmon | | | |
| pink, dark red eye Tapis Blanc—Dwarf—Very large, | \$.35 | 3.00 | 24.00 |
| Tapis Blanc—Dwarf—Very large, | | | |
| pure white | .30 | 2.50 | 20.00 |
| | | | |
| | | | |
| DWARF OR CREEPING | SOR | TS | |
| _ ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| *amoena | .30 | 2.40 | 18.00 |
| *ovata | .30 | 2.40 | 18.00 |
| *subulata—Moss pink | .25 | 2.20 | 15.00 |
| *s. alba | .25 .25 | 2.20 | 18.00 |
| *s. lilacina*s. nelsoni | .25 | 2.20 | 15.00 15.00 |
| *s. reptans | .25 | 2.20 | 15.00 |
| *s. The Bride | .30 | 2.40 | 18.00 |
| *s. Vivid | .35 | 3.00 | 24.00 |
| Di 12124111111111111111111111111111111111 | | 0.00 | - 1.00 |
| PHLOX suffruticosa | | | |
| Miss Lingard | .30 | 2.40 | 18.00 |
| Rose Queen | .30 | 2.40 | |
| DITYCOCTECTA | 77 | . D | . 7 7 |
| PHYSOSTEGIA | | se Drago | |
| virginiana | .30 | 2.40 | 18.00 |
| PLATYCODON | | Balloon | flower |
| grandiflorum | .30 | 2,40 | 18.00 |
| g. album | .30 | 2.40 | 18.00 |
| g. mariesi | .30 | 2.40 | 18.00 |
| | | | |
| PLUMBAGO | | | |
| larpentae—See CERATOSTIGMA p | lumba | go | |
| POLEMONIUM | | Polem | onium |
| *caeruleum—Greek-valerian | .30 | 2.40 | 18.00 |
| | | 2.40 | 18.00 |
| | | 2.40 | 10.00 |
| *reptans—Creeping | .30 | Fleece | |
| | .30 | | eflower |
| *reptans—Creeping | .30 | 2.40 | eflower |
| *reptans—Creeping POLYGONUM | | | eflower 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) | .30 | 2.40 2.40 | 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) | .30 | 2.40 2.40 <i>Cin</i> q | 18.00 quefoil |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) | .30 | 2.40 2.40 Cine 2.40 | 18.00 quefoil 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot. | .30 .30 | 2.40 2.40 Cine 2.40 3.00 | 18.00 quefoil 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) | .30 | 2.40 2.40 Cine 2.40 | 18.00 quefoil 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi). filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot. nepalensis (formosum). tridentata | .30 .30 .35 .30 .30 | 2.40 2.40 Cine 2.40 3.00 2.40 2.40 | 18.00 quefoil 18.00 18.00 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi). filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot. nepalensis (formosum). tridentata PRIMULA | .30 .30 .35 .30 .30 | 2.40 2.40 Cine 2.40 3.00 2.40 2.40 2.40 | 18.00 quefoil 18.00 18.00 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose | .30 .30 .35 .30 .30 | 2,40 2,40 Cine 2,40 3,00 2,40 2,40 2,40 Iardy Pro 2,40 | 18.00 quefoil 18.00 18.00 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip | .30 .30 .35 .30 .30 | 2,40 2,40 2,40 3,00 2,40 2,40 2,40 (ardy Property 2,40 2,40 | 18.00 quefoil 18.00 18.00 18.00 18.00 imrose |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose | .30 .30 .35 .30 .30 | 2,40 2,40 Cine 2,40 3,00 2,40 2,40 2,40 Iardy Pro 2,40 | 18.00 quefoil 18.00 18.00 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip | .30 .30 .35 .30 .30 | 2,40 2,40 2,40 3,00 2,40 2,40 2,40 (ardy Property 2,40 2,40 | 18.00 quefoil 18.00 18.00 18.00 18.00 imrose 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: | .30 .30 .35 .30 .30 .30 | 2.40 2.40 Cine 2.40 3.00 2.40 2.40 2.40 2.40 2.40 Persian | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 18.00 Daisy |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. | .30 .30 .35 .30 .30 | 2.40 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.40 | 18.00 quefoil 18.00 18.00 18.00 18.00 imrose 18.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very | .30 .30 .35 .30 .30 .30 .30 | 2.40 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.40 2.0 Persian | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 Daisy 24.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi). filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot. nepalensis (formosum). tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip. *veris—English Cowslip. PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very large | .30 .30 .35 .30 .30 .30 .30 | 2.40 2.40 Cine 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.0 Persian 3.00 | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 Disrose 18.00 18.00 24.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very large Hebe—Pure white | .30 .30 .35 .30 .30 .30 .30 | 2.40 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.40 2.0 Persian | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 Daisy 24.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very large Hebe—Pure white roseum atrosanguineum — single | .30 .30 .35 .30 .30 .30 .30 .30 | 2.40 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.0 Persian 3.00 3.00 | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 18.00 24.00 24.00 24.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum. POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very large Hebe—Pure white. roseum atrosanguineum — single crimson | .30 .30 .35 .30 .30 .30 .30 .30 .35 .30 | 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.0 Persian 3.00 3.00 3.00 | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 24.00 24.00 24.00 18.00 |
| *reptans—Creeping POLYGONUM cuspidatum (seiboldi) filiforme variegatum POTENTILLA *atrossanguinea *Miss Wilmot nepalensis (formosum) tridentata PRIMULA acaulis—English Primrose officinalis hybrida—Cowslip *veris—English Cowslip PYRETHRUM roseum—single varieties: Coccinea—Rich, reddish purple. Elsie Gertrude—Pale flesh, very large Hebe—Pure white roseum atrosanguineum — single | .30 .30 .35 .30 .30 .30 .30 .30 | 2.40 2.40 2.40 3.00 2.40 2.40 2.40 2.40 2.40 2.0 Persian 3.00 3.00 | 18.00 quefoil 18.00 18.00 18.00 18.00 18.00 18.00 18.00 24.00 24.00 24.00 |

| 9979416391140403100001617001161011111001660012000H6641144100011771H111H66629746174H11H61H20H0000 | M44479168319M1947148 | *************************************** | *************************************** |
|--|----------------------|---|---|
| | Each | Per 10 | Per 100 |
| RANUNCULUS | Datu | | ittercup |
| acris fl. pl | \$.30 | 2.40 | iller cap |
| repens | .30 | 2.40 | 18.00 |
| repens | .50 | 2.40 | 10.00 |
| RUDBECKIA | | Con | eflower |
| fulgida | 25 | | • |
| laciniata—Golden Glow | .25 .25 | 2.20 | 15.00 15.00 |
| speciosa (newmanni) | .30 | 2.40 | 18.00 |
| subtomentosa | .30 | 2.40 | 10.00 |
| triloba | .30 | 2.40 | 18.00 |
| | | | 20.00 |
| SALVIA | | | Sage |
| azurea grandiflora | .30 | 2,40 | 18.00 |
| 8 | | 00 | 10.00 |
| SANTOLINA | La | vender | Cotton |
| *chamaecyparissus | .30 | | |
| chamaccy parasus | .50 | 2.40 | 10.00 |
| SAPONARIA | | S | apwort |
| *ocymoides | 20 | | apwort |
| Focymoides | .30 | 2.40 | |
| SAXAFRAGA | | e- | |
| | | | xafrage |
| *cordifolia | .35 | 3.00 | 20.00 |
| *crassifolia | .30 | 2.50 | 20.00 |
| SCABIOSA | | S | cabiosa |
| caucasica ····· | .35 | | |
| c. alba | .33 .40 | 3.00 3.50 | 24.00 30.00 |
| japonica | .30 | 2.40 | 18.00 |
| japoinca | .50 | 2.40 | 10.00 |
| SEDUM | | Ston | e Crop |
| *acre—Golden Moss | .25 | 2.20 | 15.00 |
| *album | .25 | 2.20 | 15.00 |
| *kamtschaticum | .25 | 2.20 | 15.00 |
| *maximum | .30 | 2.40 | 18.00 |
| *m. atropurpureum | .30 | 2.40 | 18.00 |
| *spectabile—Brilliant Stone Crop | .25 | 2.20 | 15.00 |
| *stoloniferum | .30 | 2.40 | 18.00 |
| | | | |
| SEMPERVIVUM | | Hous | se Leek |
| arachnoideum | .25 | 2.20 | 15.00 |
| | | | |
| SIDALCEA | | Prairie | mallow |
| candida | .30 | 2.40 | 18.00 |
| Rosy Gem | .30 | 2.40 | 18.00 |
| OH DITTIES | | | nı. |
| SILPHIUM | | Compass | |
| laciniatum | .30 | 2.40 | 18.00 |
| perfoliatum—Cup Rosinweed | .30 | 2.40 | 18.00 |
| SPIRAEA | 1 | Meadow | Smeet |
| | | | |
| eximia japonica | .30 .3 5 | 2.40 3.00 | 18.00 25.00 |
| multiflora | .30 | 2.40 | 18.00 |
| m. compacta | .30 | 2.40 | 18.00 |
| compacta | | 2.10 | 20.00 |
| STACHYS | | Wou | ndwort |
| *grandiflora superba | .30 | 2.40 | 18.00 |
| *lanata | .30 | 2.40 | 18.00 |
| | | | |
| STATICE (See LIMONIUM) | | | |
| • | | | |

| | 111100000000000000000000000000000000000 | | нининин |
|---|---|--------------|---------|
| | Each | Doy 10. 1 | Day 100 |
| STOKESIA | Lacn | Per 10 1 | |
| | | | Aster |
| laevis (cyanea) | \$.30 | | 18.00 |
| l. alba | .30 | 2.40 | 18.00 |
| mart I T Young Train | | | _ |
| THALICTRUM | | Meado | w Rue |
| aquilegifolium | .30 | 2.40 | 18.00 |
| a. purpureum | .30 | 2.40 | 18.00 |
| | | | |
| THERMOPSIS | | Ther | mopsis |
| caroliniana | .40 | 3.00 | |
| | | | |
| THYMUS | | | Thyme |
| citriodorus | .25 | 2.20 | 15.00 |
| *serphyllum album | .30 | 2.50 | 20.00 |
| *s. coccineum | .30 | 2.50 | 20.00 |
| s. lanuginosus | .30 | 2.50 | 20.00 |
| | | | |
| TRADESCANTIA | | Spider | Wort |
| virginiana | .30 | 2.40 | |
| *************************************** | .50 | 2.40 | 10.00 |
| TRILLIUM | | Snow Ti | -illium |
| | 25 | | |
| grandiflorum | .25 | 2.20 | 15.00 |
| | | | |
| TRITOMA (See KNIPHOFIA) | | | |
| | | | |
| TROLLIUS | | Globe | Flower |
| asiaticus | .50 | 4.00 | |
| asiaticus fl. pl | .50 | 4.00 | |
| europaeus | .50 | 4.00 | |
| japonicus fl. pl | .50 | 4.00 | |
| militar a | | m . | |
| TUNICA | | | flower |
| *saxafraga | .30 | 2.40 | 18.00 |
| NAT TOTAL AND | ~ | ** | |
| VALERIANA | | mmon V | |
| officinalis (Garden Heliotrope) | .30 | 2.40 | 18.00 |
| TITTO ANTO A | | a | 7 77 |
| VERONICA | | _ | edwell |
| *incana | .30 | 2.40 | 18.00 |
| longifolia alba | .30 | 2.50 | 20.00 |
| l. subsessilis | .30 | 2.40 | 20.00 |
| *repens | .30 | 2.50 | 20.00 |
| spicata | .30 | 2.40 | 18.00 |
| *spuria (amethystina) | .30 | 2.40 | 18.00 |
| VINCA | , | Trailing | Myrtle |
| | .25 | | 15.00 |
| minor—2 yr. pot grown | .25 | 2.20 | 15.00 |
| VINCETOVICIDE (C. CVNI ANCEL | TIME | | |
| VINCETOXICUM (See CYNANCH | OWI) | | |
| TITOT A | | 1 | 172-7-4 |
| VIOLA | | | Violets |
| cornuta | .30 | 2.40 | 18.00 |
| c. alba—type | .30 | 2.40 | 18.00 |
| c. atropurpurea—type | .30 | 2.40 | 20.00 |
| cucullata | .25 | 2.20 | 15.00 |
| YUCCA | | Common | Viicea |
| | | | |
| filamentosa, 2 yrs | .30 | 2.40 3.00 | 18.00 |
| 3 yrs | .35 | 3.00 | |

NEW ALPINE PLANTS

The following list of varieties of Rock Plants are a few of the more important New Alpine Plants which we have to offer at this time. They deserve your consideration.

Future issues of our price list will give descriptions of these plants.

| | Each | Per 10 | Per 100 |
|---------------------------|--------|--------------|---------|
| Achillea moschata | \$.50 | 4.00 | |
| Achillea sericea | .50 | 4.00 | |
| Alyssum saxatile sulfurea | .40 | 3.50 | |
| Aquilegia Reuteri | .50 | 4.00 | 33.00 |
| Artemisia glacilis | .50 | 4.00 | |
| Aubrietia florariensis | .50 | 4.00 | |
| Bellium bellioides | .50 | 4.00 | |
| Borago laxiflora | .50 | 4.00 | |
| Calandrinia umbellata | .50 | 4.00 | |
| Campanula alliariaefolia | .40 | 3.50 | |
| Campanula gargantica | .50 | 4.00 | |
| Carlina acanthifolia | .50 | 4.00 | |
| Carlina acaulis | .50 | 4.00 | |
| Centranthus angustifolia | .50 | 4.00 | |
| Centranthus atrorubens | .50 | 4.00 | |
| Chaenostoma fastigiata | .50 | 4.00 | |
| Crucianella stylosa | .40 | 3.50 | 27.00 |
| Dianthus alpestris | .50 | 4.00 | |
| Dianthus Seguieri | .50 | 4.00 | |
| Dianthus superbus | .50 | 4.00 | |
| Digitalis aurea | .50 | 4.00 | |
| Digitalis lutea | -50 | 4.00 | |
| Draba aurea | .50 | 4.00 | |
| Draba borealis | .50 | 4.00 | |
| Erigeron caucasicus | .50 | 4.00 | |
| Geranium pratense | .50 | 4.00 | |
| Helianthemum grandiflorum | .50 | 4.00 | |
| Herniaria glabra | .40 | 3.50 | 30.00 |
| Hypericum patulum | .40 | 3.50 | 30.00 |
| Hypericum repens | .40 | 3.50 | 30.00 |
| Inula ensifolia | .40 | 3.50 | 30.00 |
| Lactuca perennis | .50 | 4.00 | |
| | .50 | 4.00 | |
| Monarda florariensis | .50 | 4.00 | |
| Papaver alpinum | .50 | 4.00 | |
| Papaver alpinum blanc | .50 | 4.00 | |
| Papaver alpinum roseum | .50 | 4.00 | |
| Pentstemon arizonicus | .40 | 3.50 | 30.00 |
| Potentilla Hippiana | .40 | 3.50 | 30.00 |
| Potentilla hirta | .40 | 3.50 | 30.00 |
| Potentilla Nepalensis | .40 | 3.50 | |
| Potentilla olympicum | .40 | 3.50 | |
| Potentilla rupestris | .40 | 3.50 | |
| Salvia Sclarea | .50 | 4.00 | 22.00 |
| Satureya montana | .50 | 4.00 | 33.00 |
| Sedum dasiphyllum | .40 | 3.00 | |
| Silene alpestris | .50 | 4.00 | 20.00 |
| Silene pusilla | .40 | 3.50 4.00 | 30.00 |
| Spartium junceum | | 4.00 | 30.00 |
| Teucrium orientale | .50 | 4.00 | 30.00 |
| | .40 | 3.50 | |
| | | 4.00 | |
| Viola florariensis | 50 | 4.00 | |
| Vittadenia triloba | .50 | 4.00 | 30.00 |
| victadenia tinova | .50 | 7.00 | 30.00 |

INDEX

| | | Pa | age | | Page |
|---|--------|-----------|------------|--|--------|
| Abies Acacia . Acanthopana . Acer Achillea . Aconite . Aconitum . Actinidia . Acrostamma | | | 5 | Bittersweet, Evergreen- | |
| Acacia . | | | 34 | See Wintercreeper Blackhaw Blanket Flower Bleeding Heart Blue Bells Blueberry Boltonia Borago Buckeye Buckthorn Buddleia Bugbane Bugle Bugloss Burning Bush Buttercup Butterfly Weed Butternut | |
| Acanthopana | х. | | 25 | Blackhaw | . 39 |
| Acer | | . 16. | 17 | Blanket Flower | 48 |
| Achillea | | . 44. | 58 | Bleeding Heart | 47 |
| Aconite | | , | 44 | Blue Bells | 46 52 |
| A conitum | | | 11 | Rhigherry | 70, 32 |
| Actinidia | • • | • | 40 | Poltonia | . 30 |
| Actinidia . Agrostemma- | Soo T | wahnia | 40 | Bornes | · 43 |
| Agrostellilla- | -266 1 | A CHITIES | 17 | Dualtage | . 30 |
| Aesculus . Akebia . | | | 17 40 | Decelel | . 17 |
| Akedia . | | | 40 | Bucktnorn | . 34 |
| | | | 44 | Buddleia | . 27 |
| Allspice—See Almond, Floy | Sweets | hrub | 27 | Bugbane | . 46 |
| Almond, Flor | wering | . 33, | 34 | Bugle | . 44 |
| Alpine Plants | s, New | | 5 8 | Bugloss | . 44 |
| Althea . | | . 31, | , 44 | Burning Bush | . 30 |
| Alyssum . | | . 44, | , 58 | Buttercup | . 56 |
| Alum Root | | | 50 | Butterflybush | . 27 |
| Amelanchier | | | 25 | Butterfly Weed | . 45 |
| Amorpha | | | 25 | Butternut | 20 |
| Ampelopsis | | | 40 | | 0 |
| Ameonia | | | 4.4 | | |
| Anchuco | | • | 11 | Calandrinia | . 58 |
| Andromodo | | 12 | 14 | California Privet | . 32 |
| Andromeda | | . 13, | 14 | Calveanthus | 27 |
| Anemone | | | 44 | Campanula | 16 58 |
| Anthemis | | . :2 | 44 | Campion | 70, 30 |
| Aquilegia | | . 45, | .58 | Campion | . 51 |
| Arabis . | | | 45 | Caragene | . 30 |
| Aralia . | | . 17, | . 25 | Caragana | . 21 |
| Arborvitae | | 11, 12, | 13 | Cardinal Flower . | . 51 |
| Arctostaphylo | os . | | 13 | Carlina | . 58 |
| Aristolochia | | | 40 | Carpinus | . 18 |
| Armeria . | | | 45 | Cassia | . 46 |
| Aronia . | | | 25 | Catalpa | . 18 |
| Arrow-wood | | | 39 | Catnip | . 52 |
| Artemisia | • | 45 | 58 | Ceanothus | . 27 |
| Ascelnias | • • | . 45, | 45 | Cedar | . 7,8 |
| Ach | | • • | 10 | Celastrus | . 40 |
| Almond, Flov Alpine Plants Althea Alyssum Alum Root Amelanchier Amorpha Ampelopsis Amsonia Anchusa Andromeda Anemone Anthemis Aquilegia Arabis Aralia Arborvitae Arctostaphylo Aristolochia Armeria Arow-wood Artemisia Ascelpias Ash, Mountai Aster Astilbe Aubrietia Avens Azalea | | | 22 | Centaurea | . 46 |
| Aston | и. | | 23 | Centranthus | . 58 |
| Aster | • • | . 45, | 3/ | Cerastium | 46 |
| ASUIDE . | • • | | 45 | Caracus | 10 |
| Aubrietia | • • | . 45, | 58 | Caratosticma | . 10 |
| Avens . | | :. :. | 49 | Corois | 10 |
| Azalea . | | 25, 26, | 27 | Chamastana | . 10 |
| D4:-:- | | | 4 = | Challelt | . 38 |
| Baptisia . | | | 45 | Chaik-plant | , 49 |
| Baby's Breat | h. | | 49 | Chamaecyparis | . 5,6 |
| Balloonnower | | | 55 | Chamomile | . 44 |
| Barberry . | | | 27 | Chelone | . 46 |
| Bayberry | | | 33 | Cherry, ornamental . | . 22 |
| Beach Plum | | | 34 | Chestnut | . 17 |
| Bearberry | | | 13 | Chionanthus | . 18 |
| Bedstraw | | | 48 | Chokeberry | . 25 |
| Bee Balm | | | 52 | Chrysanthemum . | . 46 |
| Beech . | | | 19 | Cimicifuga | . 46 |
| Bellflower | | | 46 | Cinquefoil | . 55 |
| Bellium | | | 58 | Clematis | 40, 41 |
| Berberis | | | 27 | Clethra | 27 |
| Betula | | 17 | 18 | Coffeetree | 20 |
| Baptisia . Baby's Breat. Balloonflower Barberry . Bayberry Beach Plum Bearberry Bedstraw Bee Balm Beech . Bellflower Bellium . Berberis . Betula . Birch . Birch . | • • | . 17, | 40 | Calandrinia California Privet Calycanthus Calycanthus Campanula Campion Candytuft Caragana Cardinal Flower Carlina Carpinus Cassia Catalpa Catalpa Catalpa Catalpa Ceanothus Cedar Celastrus Centaurea Centranthus Cerasus Ceratostigma Cerasus Chaenostoma Chalk-plant Chamaecyparis Chamomile Chelone Cherry, ornamental Chestnut Chionanthus Chokeberry Chrysanthemum Cimicifuga Cinquefoil Clematis Clethra Coffeetree Columbine Compass Plant Comp Flower | 45 |
| Birch | | 17 | 18 | Compace Plant | . 43 |
| Rittorery | | . 17, | 10 | Cono Flores | 10 50 |
| Dittersweet | | | 40 | Colle Flower | 48,50 |

| Convallaria Coralberry Coreopsis Corktree Cornel—See Corn Flower Cornus Cotoneaster Cotton Cowslip Crab, orname Cranberrybu Cranesbill Crataegus Creeper Crucianella Cynanchum Cydonia Cypress—See | 215152225 | 111111111111 | ********** | 142011144111111111111111111 | and describing the second of the second describing the second described and second second described the second des | 2312 |
|--|--------------|--------------|------------|-----------------------------|--|------|
| | | | | D | Geum | |
| ~ 11 1 | | | | rage | Pag | e |
| Convallaria | | | | . 47 | Geum 4 | 9 |
| Coralberry | | | | . 36 | Gladiolus 4 | .9 |
| Coreonsis | | | | . 47 | Gleditsia 2 | 0 |
| Cortopois | • | • | • | 22 | Clobe Flower | 7 |
| Corktree . | | • | ٠, | . 22 | Globe Flower 5 | / |
| Cornel—See | Dog | gwo | od | | Gloryvine 4 | 1 |
| Corn Flower | | | | . 46 | Glyceria—See Panicularia | |
| Cornus | | | | 18. 28 | Goat's Beard 4 | 5 |
| Cottana et an | • | • | • | 20, 20 | Ctames | 0 |
| Cotoneaster | • | • | • | 20, 29 | Goatsrue 4 | ď |
| Cotton . | | | | . 56 | Golden Bell—See Forsythia | |
| Cowslip . | | | | . 55 | Golden Chain—See Labur- | |
| Crah orname | anta | 1 | | 20 21 | num | |
| Clab, offiani | -1. | .1 | • | 20, 21 | Golden Glow | , |
| Cranberrybu | sn | • | | 38, 39 | Golden Glow 5 | 0 |
| Cranesbill | | | | . 49 | Golden Moss 5 | 6 |
| Crataeous | | | | 10 | Goldentuft 4 | 4 |
| Carana | • | • | 12 | 14 40 | C | 2 |
| Creeper . | • | • | 10 | , 14, 40 | Grass | 3 |
| Crucianella | | | | . 58 | Gymnocladus 2 | 0 |
| Cynanchum | | | | . 47 | Gypsophila 4 | .9 |
| Cydonio | | | | 20 | o) propagation | |
| Cypress—See | 'n | | • | . 29 | | |
| Cypress—See | e Ke | etino | osp | ora | Halesia 3 | 1 |
| Dahlias . Daisy . Daphne . Delphinium Deutzia . Devil's walki Dianthus Dicentra . Dictamnus Diervilla . Digitalis . Dogwood Draba . Dragonhead Dutchman P | | | | | Hamamelis 3 | 1 |
| Dahlias | | | | . 47 | Trans Diagle | - |
| Doice | | | | 50 55 | naw, black 3 | 9 |
| Daisy . | • | • | ٠ | 50, 55 | Hawthorn 1 | .9 |
| Daphne . | | | | . 13 | Hedera | 4 |
| Delphinium | | | | . 47 | Uolonium | 0 |
| Dautzia | | | | 20 30 | True de la companya d | 77 |
| Deutzia . | • | 4:-1 | • | 27,00 | Helianthemum 49, 5 | 8 |
| Devil's walki | ng s | TICE | | . 1/ | Helianthus 5 | 0 |
| Dianthus | | | | 47, 58 | Helionsis 5 | (0) |
| Dicentra. | | | | . 47 | Heliotrope E | 17 |
| Dictompus | | | | 10 | nenotrope | 10 |
| Dictaillius | • | • | • | . 40 | Hemerocallis 5 | 0 |
| Diervilla . | | | | . 30 | Hemlock 1 | 13 |
| Digitalis . | | | | 48, 58 | Hamierie | (0 |
| Dogwood | | | | 18 28 | TT 7 | 0 |
| Dugwood | • | • | • | 10,20 | Heuchera 5 | U |
| Draba | • | • | • | . 38 | Hibiscus 31, 5 | 0 |
| Dragonhead | | | | . 55 | Hollyhock 4 | 14 |
| Dutchman P | ipe | | | . 40 | Honovlocust | 20 |
| | - <u>r</u> - | | | | Trulleylocust | |
| 77.11 | | | | 40 | Honeysuckle 30, 32, 33, 4 | Н |
| Ecninacea | • | | • | . 48 | Нор 5 | 0 |
| Eleagnus . | | | | . 30 | Hophornheam 2 | 1. |
| Elder | | | | . 35 | Transport | 2 |
| Elm | | | | 21 | nopuree | - |
| Enu | • | • | • | . 24 | Hornbeam 18, 2 | 1 |
| Erigeron . | | | | . 58 | Horsechestnut 1 | 17 |
| Eryngium | | | | . 48 | Hosta | 'n |
| Ervngo | | | | 48 | TT T1- | 12 |
| E | • | • | 12 | 14 20 | House Leek | 0 |
| Euonymus | • | | 10 | , 14, 30 | Humulus 5 | 0 |
| Eupatorium | | | | . 48 | Hydrangea 3 | 31 |
| Echinacea Eleagnus . Elder Elm Erigeron . Eryngium Eryngo . Euonymus Eupatorium Euphorbia Exochorda | | | | . 48 | Gypsophila 4 Halesia 3 Hamamelis 3 Haw, Black 3 Hawthorn 1 Hedera 1 Helenium 49,5 Helianthemum 49,5 Helianthus 5 Heliotrope 5 Hemerocallis 6 Herniaria 5 Heuchera 5 Heliotrope 9 Hemerocallis 9 Hemerocallis 9 Hemerocallis 9 Herniaria 9 Hoplock 1 Honeylocus 31,5 Hollyhock 4 Honeylocust 9 Hophornbeam 18,2 Hophornbeam 18,2 Hoptee 18,2 Horsechestnut 1 Hosta 5 House Leek 15 House Leek 15 Humulus 15 Hydrangea 13,5 Theris 5 | 12 |
| Exochorda | | | | 30 | Tipericum Signature Sign | ,0 |
| | | | | . 00 | | |
| Fagus Ferns Fir Fleeceflower Forget-me-n Forsythia | | | | | Theris. | 0 |
| ragus . | | | | . 19 | Tlow 14 2 | 2 |
| Ferns | | | | . 48 | Ilex | 2 |
| Fir | | | | 5 10 | Incarvillea 5 | U |
| Floored | • | • | • | ٥, إِنْ | Indigo, false 2 | 25 |
| rieecenower | | • | | . 55 | Indigobush 2 | 15 |
| Forget-me-n | ot | | | . 52 | Tullbaume | A |
| Forsythia | | | | 30, 31 | inkberry i | 14 |
| Foxglove . | | | | . 48 | Inula 50, 5 | 8 |
| E-agiove . | • | | • | 4.0 | Iris 50, 5 | 1 |
| Fraxinus . | | ٠ | | . 19 | Ivy 14, 4 | 10 |
| Fringe . | | | | . 18 | 1,7 17,7 | |
| Funkia—See | Ho | sta | | . 48 | | |
| | | | | | Jetbead 3 | 14 |
| Caillandia | | | | 40 | T TO TIT 1 | 18 |
| Gaillardia | | | | . 48 | Joe-Pye-Weed 4 | |
| Galega . | | | | . 48 | | 0. |
| Galium . | | | | . 48 | Juniper 6, | |
| C 701 . | | | | . 48 | Juniperus 6, 7, | 8 |
| Carrie | • | | | | J | |
| Gayfeather | • | • | | . 51 | | |
| Geranium | | | | 49,58 | Kalmia 1 | 4 |
| | | | | | | |

| Page | Рапа |
|---|--|
| Kerria—See Jetbead | Nannyberry |
| Kentucky Coffeetree . 20 | Nepeta |
| | Ninebark 33 |
| Laburnum | |
| Lahuwaum 20 | Oak 22, 23 Oenothera 52 Oleaster—See Eleagnus |
| Laburnum 20 | Oenothera 52 |
| Lambkill 14 | Oleaster—See Eleagnus |
| Lambkiii | Osier—See Dogwood Ostrya 21 |
| Lariv 20 | Ostrya 21 |
| Larkspur 47 | Pachysandra 14.52 |
| Lathyrus 51 | Paeonia 52.53 |
| Laurel 14 | Panicularia 53 |
| Lavender 51 | Papaver 53.58 |
| Lead Plant 25 | Pea, Siberian 27, 51 |
| Leek 56 | Pear |
| Leontopodium 58 | Pearl Bush, Common . 30 |
| Leucothoe 14 | Pentstemon 53,58 |
| Liatris 51 | Peony 52, 53 |
| Ligustrum 32 | Periwinkle 14, 57 |
| Lilac 23, 36, 37, 38 | Phellodendron 22 |
| Lilium 51 | Philadelphus 33 |
| Lily 49, 50, 51 | Phlox 54, 55 |
| Lily of the Valley 47 | Physocarpus 33 |
| Lily of the Valley Shrub | Physostegia 55 |
| —See Andromeda | Picea 8,9 |
| Limonium 51 | Pieris 14 |
| Linden 23, 24 | Pine 9, 10 |
| Liriodendron 20 | Pinks |
| Looella | Pinus 9, 10 |
| Locust 20, 23 | Plantain I ilv |
| Lonicera 32, 33, 41 | Platuadan 55 |
| Lupin 51 | Plumbago 46 |
| Lupinus 51 | Pachysandra 14, 52 Paeonia 52, 53 Panicularia . 53 Papaver . 53, 58 Pea, Siberian . 27, 51 Pear . 22 Pearl Bush, Common . 30 Pentstemon . 53, 58 Peony . 52, 53 Periwinkle . 14, 57 Phellodendron . 22 Philadelphus . 33 Phlox . 54, 55 Physocarpus . 33 Physocarpus . 33 Physostegia . 55 Picea . 8, 9 Picris . 14 Pine . 9, 10 Pinks . 45, 47 Pinus . 9, 10 Pinxterbloom . 26 Plantain Lily . 50 Platycodon . 55 Plumbago . 46 Plum, Beach . 34 Pollegonum . 55 Polygonum . 55 Poply . 53 Poplus |
| Lychnis 51 | Plum ornamental 22 34 |
| Lycium 41 | Polemonium 55 |
| Lysimachia 51 | Polygonum 55 |
| Lythrum 51 | Poplar |
| | Poppy 53 |
| 3.5.33 | Populus 22 |
| Maltan Curry | Pontentilla 55, 58 |
| Maltese Cross 51 | Prairiemallow 56 |
| Malus 20, 21 | Primrose 52,55 |
| Manla 16 17 | Primula 55 |
| Matrimony Vino | Privet 32 |
| Meadow Rue 57 | Prunus 22, 33, 34 |
| Meadow Sweet 56 | Pseudotsuga 10 |
| Mentha 52 | Ptelea |
| Mertensia | Pyrethrum 55 |
| Milkweed 45 | Pyrus 22,34 |
| Mint 52 | Quince, ornamental 29 Quercus 22, 23 |
| Mistflower 48 | Ouercus 22 23 |
| Mockorange 33 | Quereus |
| Monarda 52, 58 | Ranunculus 56 |
| Mallow 52 Maltese Cross 51 Malus 20, 21 Malva 52 Maple 16, 17 Matrimony Vine 41 Meadow Rue 57 Meadow Sweet 56 Mentha 52 Milkweed 45 Mint 52 Mistflower 48 Mockorange 33 Monarda 52, 58 Moneywort 51 | Raspberry, Flowering . 35 |
| Monkshood 44 | Red Bud 18 |
| Morus 21 | Retinospora—See |
| Mosquito-trap 47 | Chamaecyparis 5,6 |
| Moss Pink 55 | Rhamnus 34 Rhododendron 15, 26 |
| Mountain Ash 23 | Rhododendron 15,26 |
| Mulberry 21 | Rhodora 34 |
| Myosotis | Rhodotypus 34 Rhus 34 |
| Myrica | T 11 1 |
| myrtic—See I eliwinkie | Robinia 23,34 |

| Rockcress Rockspray Rosa Rose Rose Rose Acacia Rosemallow Rosinweed Roxbury Waxwork Rubus Rudbeckia | Page | Sweetbriar . Sweet Pepperbus | Page |
|--|-----------|---|----------------|
| Rockcress | . 45 | Sweetbriar . | 35 |
| Rockspray | . 29 | Sweet Pepperbus | hSee |
| Rosa | . 35 | Summersweet | |
| Rose 3 | 5, 42, 43 | Summersweet Sweetshrub . Sweet William Symphoricarpos Syringa | 27 |
| Rose Acacia | 34 | Sweet William | 47 |
| Posemellow | . 57 | Symphoricarnos | |
| Designation | 50 | Symphoricarpos | 22 24 25 20 |
| Rosinweed | . 50 | Syringa | 23, 30, 37, 38 |
| Roxbury Waxwork . | . 40 | | |
| Rubus | . 35 | T | 4.5 |
| Rudbeckia | . 56 | Tarragon . | 45 |
| | | Taxus | 10, 11 |
| | | Tea, Jersey . | 27 |
| Sage | 56 | Tecoma | 41 |
| St Johnswort | 21 | Teucrium . | 58 |
| St. Johnswort | . 31 | Thalictrum | 57 |
| Sanx | . 23 | Thormoneic | 57 |
| Salvia | 56, 58 | Thermopsis . | 3/ |
| Sambucus | . 35 | Inorn | 19 |
| Sand Pear | . 22 | Thuja | . 11, 12, 13 |
| Santolina | . 56 | Thyme | 57 |
| Saponaria | 56 | Thymus | 57 |
| Saturava | . 50 | Tilia | . 23, 24 |
| Satureya | . 30 | Torchlily | 51 |
| Savin | | Tradescantia | 51 |
| Saxairaga | . 56 | Tuilling | 57 |
| Saxafrage | . 56 | Tillium | 31 |
| Scabiosa | . 56 | Iritoma—See Kn | приопа |
| Sea Lavender | . 51 | Trollius | 57 |
| Sea Pink | . 45 | Trumpetcreeper | 40 |
| Sedum | 56.58 | Trumpet Vine | 50 |
| Sempervivum | 56 | Tsuga | 13 |
| Sempervivum | . 30 | Tulin Tree | 20 |
| Senna | . 40 | Tunica . | 20 |
| Shad Bush—See Shad | blow | Tunica | 51 |
| Sage St. Johnswort Salix Salvia Sambucus Sand Pear Santolina Saponaria Satureya Savin Saxafraga Saxafrage Scabiosa Scabiosa Sea Lavender Sea Pink Sedum Sempervivum Senna Shad Bush—See Shad | . 25 | Tunichower . | 5/ |
| Shadblow Sheep Berry—See | | Turtienead . | 46 |
| Shaep Berry—See Nannyberry Sidalcea Silene Silene Silphium Silyerbell, Great Smoketree Sneeze Wort Snow in Summer Snowball Snowbell, Japanese Snowberry Soapwort Sorbaria Sorbus Sorbus Southern Bush Hon suckle Spartium Spearmint Spearmint Spearmint Speadwell Spider Wort Spiraea Spruce | | Tarragon Taxus Tea, Jersey Tecoma Teucrium Thalictrum Thalictrum Thermopsis Thorn Thuja Thyme Thymus Tilia Torchlily Tradescantia Trillium Trittoma—See Kn Trollius Trumpet Vine Tsuga Tulip Tree Tunica Tunicflower Turtlehead | |
| Sidalcea | . 56 | Illmus | 24 |
| Silene | 58 | Omius | 24 |
| Silphium | . 56 | ** | |
| Silverhell Creet | . 30 | vaccinium | 38 |
| Silverbeil, Great . | . 31 | Valerian | 57 |
| Smoketree | . 34 | Valeriana | 57 |
| Sneeze Wort | . 49 | Verbascum | 58 |
| Snow in Summer . | . 46 | Veronica | 57 |
| Snowball | . 39 | Vihurnum | . 38 30 |
| Snowbell, Tapanese . | . 39 | Vinca | 14 57 |
| Snowberry | 36 | Vincetorioum C | 14,37 |
| Soapwort | 56 | v incetoxicum—se | ee |
| Soubouio | . 35 | Cynanchum | |
| Solibalia | . 33 | Viola | 57, 58 |
| Sorbus | . 23 | Violets | 57 |
| Southern Bush Hon | ey- | Virgin's Bower . | 40 |
| suckle | . 30 | Virginia Creeper | 40 |
| Spartium | . 58 | Vitis | 41 |
| Spearmint | . 52 | Vittadenia | 58 |
| Speedwell | . 57 | victadelila | |
| Spider Wort | 57 | | |
| Spirage | 36 56 | Walnut | 20 |
| Spiraca | 26,30 | Wayfaring Tree | 38 |
| Spirea s. | 5, 30, 30 | Waylaring Ilee . | 20 |
| Spruce | . 8,9 | Weigela | 39 |
| opurge | 1, 40, 32 | wince i inige . | 10 |
| Stachys | | Wild-Indigo | 45 |
| Statice—See Limonius | n | Willow | 23 |
| Stokesia | . 57 | Willowleaf Inula | 50 |
| Stone Crop | | Wilson's Chinese | Coton- |
| Sumac | . 34 | easters | 00 00 |
| Summersweet | . 27 | Winterberry | 32 |
| Sunflower | | Wintercreeper . | . 13, 14 |
| Sun Poce | | Witch Hazel | 31 |
| | | | |

| | | | | I | Page | | | Р | age |
|-----------|---|---|---|---|------|--------------|---|---|-----|
| Withe Rod | | | | | 38 | | | | 39 |
| | | | | | | Yew | | | |
| Woundwort | ٠ | ٠ | ٠ | ٠ | 56 | Yucca | • | | 57 |
| Yarrow . | | | | | 44 | Zanthorrhiza | | | 39 |

QUALITY NURSERY STOCK

Experience has proved that it is unprofitable to plant any but the best grade of Nursery Stock. The cost of transportation, the cost of planting and after care—whether paid in money or in physical effort—are too great to lay out on plants that will fail to fulfill their purpose and which will require that the work be done over in a short while.

At the most, the initial saving in buying poorly grown stock is small—in any case less than the cost of buying new plants and the cost of replanting.

Save yourself time, money and effort. Buy plants that have been grown by experts, on properly selected soil, in a rugged climate. Buy plants that have been properly pruned and trained to give immediate effect. Buy plants that have root systems sufficient to assure transplanting success—buy Framingham Nursery Stock.

PLANT FANCIERS

A careful perusal of this price list will reveal a multitude of plants which will be found to be very beautiful and interesting. Some are new, others are rare, while still others, which we have grown for many years, are not well known to the general public. All of these sorts are grown with the greatest care and attention. We shall be glad to have you examine them at our nurseries.

BUY TIME

When you buy nursery stock in the larger sizes you are buying time. Buy big trees and get the benefit of them YOURSELF. The largest trees we list will transplant successfully, because they are grown with heavy root systems.

Wyman's

Framingham Nurseries

FRAMINGHAM MASSACHUSETTS

PRICE LIST

OF

Evergreens, Trees, Shrubs Vines, Roses

AND

Herbaceous Perennials

SPRING 1927